

1 LOCATION OF WATER WELL:		FRACTION		Section Number	Township Number	Range Number
Sumner		NW 1/4 NW 1/4 NE 1/4	32	T 30 S	R 4W E/W	
Distance and direction from nearest town or city street address of well if located within city?						
2 S. of Milton, Ks., 1/2 W. of Hwy, S. side, Milton, Ks.						
2 WATER WELL OWNER:		CALLAHAN, Victor		Board of Agriculture, Division of Water Resource		
RR#, ST. ADDRESS, BOX #:		RR #1		Application Number:		
CITY, STATE, ZIP CODE:		Milton, Kansas plugged		67106		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 60 ft. ELEVATION:				
		Depth(s) groundwater Encountered 1 ft. 2 ft. 3 ft.				
		WELL'S STATIC WATER LEVEL 30 FT. BELOW LAND SURFACE MEASURED ON mo/day/yr 08/10/1992				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
Bore Hole Diameter 12 in. to 60 ft., and in. to ft.						
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well				
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted						
Water Well Disinfected? Yes X No						
5 TYPE OF CASING USED:						
1 Steel 3 RMP (SR)		5 Wrought iron 8 Concrete tile		CASING JOINTS: Glued Clamped		
2 PVC 4 ABS		6 Asbestos-Cement 9 Other (Specify below)		Welded Threaded		
Blank casing Diameter 5 in. to ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface in., weight lbs. / ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel		5 Fiberglass 8 RMP (SR)		10 Asbestos-cement 11 other (specify)		
2 Brass 4 Galvanized steel		6 Concrete tile 9 ABS		12 None used (open hole)		
SCREEN OR PERFORATION OPENING ARE:						
1 Continuous slot 3 Mill slot		5 Gauzed wrapped 8 Saw cut 11 None (open hole)				
2 Louvered shutter 4 Key punched		6 Wire wrapped 9 Drilled holes				
		7 Torch cut 10 Other (specify)				
SCREEN-PERFORATION INTERVALS:						
from ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS:						
from ft. to ft., From ft. to ft.						
from ft. to ft., From ft. to ft.						
6 GROUT MATERIAL:						
1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandon water well						
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well						
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)						
Direction form well? East		How many feet? 100				
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
			0	1	concrete	
			1	31	bentonite hole plug	
			31	60	chlorinated gravel	
					from pit floor level, floor 6.5 feet below ground level	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:						
This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 08/10/1992 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 11/06/92 Under the business name of Harp Well & Pump Service, Inc by signature Jane Frederick						