	WAT	ER WELL RECORD FO	orm WWC-5 KSA 8	2a-1212		
LOCATION OF WATER W			Section Number		Range Number	
County: Stanton	SW 1/4		1/4 1		R 40 EW	
Distance and direction from West & 6½ Miles			Street address of well	if located within city?		
2 WATER WELL OWNER:	. -	-				
RR#, St. Address, Box # :	Mary Clawson			Board of Agricultu	re, Division of Water Resources	
City, State, ZIP Code :	Satanta, KS				er: 33,461	
		Bore Hole Diameter 2.6	āin. to		in. to ft	
Well Water to be used as:	5 Public water		8 Air conditioning	11 Injection		
1 Domestic 3 Feedlot			9 Dewatering	12 Other (Sp	pecify below)	
2 Irrigation 4 Industri			10 Observation well	(, ,	
					day 1980 year	
Pump Test Data Est. Yield +2500	: Well water was.				29gpm	
4 TYPE OF BLANK CASIN		5 Wrought iron	8 Concrete tile		ilued Clamped	
	3 RMP (SR)	6 Asbestos-Cement		~	Velded . X	
	4 ABS					
					hreaded	
					ge No · · • 250 · · · · · · · · · · · · · · · · · · ·	
		in., weight		•	~	
TYPE OF SCREEN OR PER		pr (***)	7 PVC	10 Asbestos-c		
	3 Stainless steel	5 Fiberglass	8 RMP (SR)		cify)	
	4 Galvanized steel		9 ABS	12 None used	• • •	
Screen or Perforation Openi	=	5 Gauzed		8 Saw cut	11 None (open hole)	
1 Continuous slot	3 Mill slot	6 Wire wr		9 Drilled holes		
2 Louvered shutter	4 Key punched	7 Torch of			ecify)	
					in to	
Screen-Perforated Intervals:					to 440-540 ft. toft.	
Gravel Pack Intervals:					to	
· · · · · · · · · · · · · · · · · · ·	From	ft. to	ft., From	ft.		
5 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other		
Grouted Intervals: From	. 0 ft. to 10	ft., From	ft. to	ft., From	ft. to	
What is the nearest source	of possible contamination:	None Observe	ed 10 Fu∈	el storage 1	4 Abandoned water well	
1 Septic tank	4 Cess pool	7 Sewage lagoor	n 11 Fer	tilizer storage 1	5 Oil well/Gas well	
2 Sewer lines	5 Seepage pit	8 Feed yard	12 Ins	ecticide storage 1	6 Other (specify below)	
3 Lateral lines	6 Pit privy	9 Livestock pens	13 Wa	tertight sewer lines		
Direction from well	Hov	w many feet	Wate	er Well Disinfected? Yes	No X	
					If yes, date sample	
was submitted		day	year: Pump Insta	led? Yes	NoX	
If Yes: Pump Manufacturer's	name		Model No	HP	Volts	
Depth of Pump Intake		ft.	Pumps Capacity rated	at	gal./min.	
Type of pump:				ntrifugal 5 Reciproc		
6 CONTRACTOR'S OR LA	NDOWNER'S CERTIFICA	TION: This water well was	s (1) constructed, (2) re		I under my jurisdiction and was	
					year	
					year under the business	
name of Henkle Dri					year under the business	
7 LOCATE WELL'S LOCA		LITHOLOGIC	LOG FR	OM TO	LITHOLOGIC LOG	
WITH AN "X" IN SECTI	TION L	See Attache			Zimozodio zod	
BOX:		See Accacin	за 109 —			
Ν		 				
Į I						
NW NE	·					
		 			V 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-11 - 10-1	
W I I	E					
SW SEX -						
\$						
I Mile I Mile						
ELEVATION:						
Depth(s) Groundwater Enco	untered 1ft.	2 ft. 3	ft. 4 ft.	(Use a second	d sheet if needed)	
INSTRUCTIONS: Use typew	riter or ball point pen, pleas	se press firmly and PRINT	clearly. Please fill in bla	nks, underline or circle the o	correct answers. Send top three	
retain one for your records.	to neath and environment	, Division of Environment, W	rater well Contractors, 1	орека, къ 66620. Send one	to WATER WELL OWNER and	

DRILLERS TEST LOG

CUSTOMERS NAME	Mary Clawson	DATE	9-3-80
STREET ADDRESS _		TEST #3	E. LOG
CITY & STATE			Livingston
COUNTY Stanton	QUARTERSE_SECTION_	1 TOWNSHIP 30	RANGE 40
	•		

LOCA	TION .		5	0' East of Test #1			
				WellLocation			
*		OTAC		Static Water Level			
	From	Pay		DESCRIPTION OF STRATA Proposed Well Depth			
	0		2	Top soil			
	2		34	Sandy clay			
	34		117	Brown clay caliche & tan sand stk.			
	117		154	Sand fine to med & few clay stk			
	154		161	Brown clay			
60	161	30	210	Sand fine to med coarse small gravel			
	210		224	Brown clay			
45	224	07	231	Sand fine to med coarse			
	231		237	Brown clay			
50	237	09	248	Sand fine to med coarse			
	248		277	Brown sandy clay limerock stk.			
60	277	20	297	Sand fine to med coarse small gravel			
	297		308	Brown clay & few fine sand stks.			
35	308	12	320	Sand fine small			
	320		330	Brown sandy clay & fine sand			
	330		338	Brown clay			
45	338	22	360	Sand fine to med			
35	360	20	380	Sand fine small & few clay stk.			
80	380	32	412	Sand fine to med coarse small to med, brown gravel			
	412		440	Brown clay limerock ledges & few soapstone stks.			
good.	440	. 07	447	Sand stone & clay			
fair	447	90	537	Red shale, soapstone & sandstone. Drills loose in places			
 -				Used water			
}	537		560	Limestone soapstone & red shale Hard			
 -							
		 	L				
}		 	}				
			 				
	4,113	 	-	Total Depth of week 540			
-		 	 				
	 	 	 				
		 	 				
-		+	 				
 		 	 				
-		+	+				
-		 	 				
1	 	+	 				
-		1	+				
-			<u></u>				

GARDEN CITY, KS Phone 276-3278 TEST HOLES * * * HENKLE DRILLING & SUPPLY CO., INC. IRRIGATION HEADQUARTERS

SUBLETTE, KS Phone 675-4311

* *IRRIGATION & INDUSTRIAL WELLS * * * * STOCK WELLS