USE TYPEWRITER OR BALL POINT PEN-PRESS FIRMLY, PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors)

						ТОРК	eka, Kansas 66620		
1. Location of well:	County	Fraction	Section number		number	Township number	Range number		
Location of well:	Stanton	SE _{1/4} 1/4	1/4	1/4 3		т 30 s	R 40	E/W	
2. Distance and direction from nearest town or city: 6 mi S, 6 mi W, 1 mi S, ½ mi W from Street address of well location if in city: Big Bow, Ks.				3. Owner of well: Kirby Clawson R.R. or street: Satanta, Ks. 67870 City, state, zip code:					
4. Locate with "X" in section below: Sketch map: N I N N N N N N N N N N N N N						6. Bore hole dia. 26 in. Completion date 4/26 Well depth 382ft. 7Cable toolRotaryDrivenDugHollow rodJettedBored XReverse rotary 8. Use:DomesticPublic supplyIndustry X IrrigationAir conditioningStockLawnOil field waterOther 9. Casing: MateriaSteel Height: Above or below ThreadedWelded X Surface 12in.			
S . 1 Mi			RMPPVCWeight31lbs./ft. Dia. 16in. to 382. depth!Wall Thickness: inches or						
5. Type and color of	5. Type and color of material			From	То	Dia in. to ft. dep	9		
See Atta	chments					14. Well head completion:		ft. ft. ft. 1/8" ./day/yr. 8/77 lg.p.mg.p.mg.p.m. /day/yr. grade Concrete	
						17. Pump: Manufacturer's name Model number Length of drop pipe	X Not installed HP Vo. ft. capacity		
	(Use a second st	neet if needed)				Type: Submersible Jet Centrifugal	Turbine Recipro	1 1	
18. Elevation: X Flat Topography: Hill Slope Upland Valley	19. Remarks:				i.	20. Water well contractor's of This well was drilled under miss true to the best of my know Henkle Dril. Business name Address BOX 639.	y jurisdiction and this ledge and belief. # ling&Supp Lic Garden Ci	145	

DATE 11-15-76 CUSTOMERS NAME Kirby Clawson TEST # 1 E Log STREET ADDRESS__ _DRILLER Martinez CITY & STATE Satanta, KS COUNTY Stanton QUARTER SE SECTION 3 TOWNSHIP 30 RANGE 40 LOCATION 478' S. of the N.W. corner of the S.E. 1/4

				WELL LOCATION
%	DRILLED)	FOOTAGE	Static Water Level
	From	Pay		Description of Strata Proposed Well Depth
	0	T	3	Top soil
	3	1	20	Brown clay
	20	+	48	Sand fine to med. coarse, small gravel
	48	+	109	Brown clay
	109	+	150	Sand fine to med. coarse, small gravel
40	150	10	180	Sand fine to med. coarse, small to med. gravel,
<u>. 4u</u>		+		loose, used water, few white rock st.
40	180	20	200	Sand fine to med. coarse, small to med. and few
-30		+=-		large gravel, loose, used water, few clay st.
·	200	+	221	Brown sandy clay
50	221	19	240	Sand fine to med, coarse, small gravel, loose, used
-35		+==	† 	water, few white rock st., few clay st., used water,
	·	1		few white rock st., few clay st.
50	240	21	261	Sand fine to med., loose, used water, few clay st.
	261	+	271	Brown sandy clay
65	271	9		Sand fine to med. coarse, small to med. gravel, loos
	1	+		used water
70	280	16	296	Sand fine to med. coarse, small to med. and few larg
	1	1		gravel, loose, used water, few clayst., few white
,		1		rock st.
	296	1	309	Brown clay
70	309	11		Sand fine to med. coarse, small to med. gravel,
	i	+		loose, used water, few clay st.
1	320	1	335	Brown clay
50	335	17		Sand fine to med. coarse, loose, used water
	352	1	360	Brown clay
air	360	18		Yellow clay, few sandstone st., loose in places,
		1		used water
	378	+	400	Weathered shale
	400	1	440	Red bed, yellow clay, soapstone, very few sandstone
''		1		st., hard
		141		
		† _		
		1		TOTAL DEPTH OF WELL 382 FT.
		+	 	Set up west
		T		Pit on north
,		1		2 sacks Quik-Gel
	TAY COTTON TO			NUTE DETITING C NIDDLY CO INC CIDIEMME MANCAG

PHONE 276-3278

ARDEN CITY, KANSAS HENKLE DRILLING & SUPPLY CO., INC. SUBLETTE, KANSAS IRRIGATION HEADQUARTERS

PHONE 675-4311