			WATE	R WELL RECORD	Form WWC	-5 KSA 82a-	-1212						
LOCATION OF WATER WELL: Fraction				Section Number			1	nship Numb	1 -				
County: Stanton center 1/2 Distance and direction from nearest town or city street a			SE 14 SW	1/4	24	T	30	s	R	42	E/W		
		st of Mante		dress of well it located	d within city?	?							
	R WELL OW			an Drilling									
ı ⊢ ⁄				on Drilling	•		_					_	
RR#, St. Address, Box #: Box 1409 City, State, ZIP Code: Box 1409 Great Bend, Ks. 67530 Board of Agriculture, Division of Water Resc										Resources			
		OCATION WITH											
AN "X"	'IN SECTIO			OMPLETED WELL 2	#.v	π. ELEVAI	IION:	• • • • • • • • • • • • • • • • • • • •		• • • • • •			
Depth(s) Groundwater Encountered 160											e 5	ft.	
Pump test date: Wall water was 200 # star 2 had 45													
- NW NE - Est. Yield .50 gpm: Well water was ft. after hours pumping hours pumping										gpm			
ا ين فِ ا										ft.			
								njection v					
llī l.	- 5W - 5E				3 Feedlot 6 Oil field water supply 9 Det								
	l "	ī	2 Irrigation			garden only 1							
Was a chemical/bacteriological sample submitted to Department? YesNoX; If yes, mo/day/yr s.								r sample	e was sub-				
cl D/DE	05.51.44.84	······································	mitted					isinfected?			No		
5 TYPE		CASING USED:		5 Wrought iron		crete tile		ING JOINTS			-		
2 P		3 RMP (SF 4 ABS	1)	6 Asbestos-Cement		r (specify below	-						
			in to 160	7 Fiberglass					Thread	ded			
Casing he	eight above la	and surface	14	in., weight 200			π., Die t Wall this	1	ir	n. 10 0 . 26	ξ	ft.	
TYPE OF	SCREEN O	R PERFORATION	MATERIAL:	int, weight	7 P			ckness or ga 10 Asbesto			*		
l 1	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel			5 Fiberglass	MP (SR)								
2 Brass 4 Galvanized steel				6 Concrete tile	• •			11 Other (specify)					
SCREEN	OR PERFO	RATION OPENING	5 Gauze	d wrapped		8 Saw c			11 None	open	hole)		
1 C	ontinuous slo	ot 3 Mil	ll slot	6 Wire v				holes			\-F	,	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)													
SCREEN-	PERFORATI	ED INTERVALS:											
	0041/51 04	O	From	ft. to		ft., From	1		. , ft. to			ft.	
·	GHAVEL PA	CK INTERVALS:		0									
6 GROU	T MATERIAL	.: 1 Neat o	From	ft. to 2 Cement grout		ft., From			ft. to			ft.	
Grout Inte				ft., From		torine 4 C	Jiner 4 c						
-		ource of possible of				10 Livesto		"IOIII				1	
1 Septic tank 4 Lateral lines			7 Pit privy	11 Fuel s	•		14 Abandoned water well 15 Oil well/Gas well						
2 Sewer lines 5 Cess pool			pool	• •			er storage	9		ner (spec		-w)	
3 Watertight sewer lines 6 Seepage pit				9 Feedyard	_						•	.´	
Direction from well? South How many feet? 250													
FROM	TO	0	LITHOLOGIC L	.OG	FROM	то		LITH	OLOGI	LOG			
180	180	Overburd Sand Sto			 								
210	240	Blue Sha			-								
210	240	brue sna	le			 							
				<u> </u>	-	1 1				<u> </u>			
					1	1							
								_					
	ļ												
		•			ļ								
					-								
						 				-			
													
7 CONTI	RACTOR'S (OR LANDOWNER	S CERTIFICATIO	ON: This water well wa	s (1) constr	ucted, (2) recon	structed,	or (3) plugg	ed unde	r my juri	sdiction	and was	
completed	on (mo/day/	year) 1 2-1	\$=85 1.40			and this record	d is true to	the best of	my knov	vledge a	nd belie	f. Kansas	
				This Water We	ell Record w				2-9-85			;	
INSTRUC	DUSINESS NAI	me of <u>T & W</u>	Water Well	Service PRESS FIRMLY and	PRINT	by (signatu	blanks	Wager	role the	oorract -	nov:	Cond to=	
I three copic	es to Kansas	Department of Hea	alth and Environme	ent, Division of Environn	nent, Enviror	nmental Geology	ייסווגיט, ur / Section. `	Topeka, KS (т ов (пе (66620. S	correct a Send one	nswers. to WATI	Seria top	
OWNER &	and retain on	e for your records	S										