			Water Well Record	Form WWC-5	KSA 82a-1212			
1 LOCATION OF WAT	ER WELL:	FRACTION			Section Number	Township Number	Range Number	
Kingman SW 1/4			E 1/4	10	T 30 s	R 5W E/W		
Distance and direction frem nearest town or city street address of well if located within city?								
905 W. Burns Norwich, Kansas								
WATER WELL OV	******	•						
RR#, ST. ADRESS, B		. Burns				Board of Agriculture,	Divivsion of Water Resource	
CITY, STATE, ZIP CODE: Norwich, Kansas							Application Number:	
LOCATE WELL'S LO AN "X" IN SECTION		DEPTH OF COM		52		EVATION:		
A A INSECTION	Ņ.,	Depth(s) groundwa		1	ft.	2 ft.	3 ft.	
	i <b>1</b>	VELL'S STATIC WA	_	•	BELOW LAND SE	URFACE MEASURED ON mo/day/yr	07/14/1997	
NW	NZ	Pump test		vater was	ft.	after hours pu		
<u>.</u>	1 1 1	st. Yield	-1	water was	ft.	after hours pu		
W W	1 1 1	ore Hole Diameter	12 in.	to 52	ft.	and in		
		ELL WATER TO B		5 Public water		-	Injection well	
sw	sæ	1 Domestic		6 Oil field was		•	Other (Specify below)	
		2 Irrigation		7 Lawn and g	-	10 Monitoring well	0.7	
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample w								
Submitted Water went Displaceted: 168 X 100								
5 Wrought from 6 Concrete the Canal Contress Gillett A Champet								
	3 RMP (SR)		6 Asbestos-Cemer	-	Other (Specify )	DetoW)	Welded Threaded	
2 PVC	4 ABS	. 0=	7 Fiberglass		DR-26			
Blank casing Diamet			ft., Dia	in.	to	ft., Dia in.	to ft.	
Casing height above		in., On Material:	weight 2		lbs. / ft. PVC	Wall thickness or gauge No. 10 Asbestos-cei	.214	
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 other (specify)								
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							• 7	
1							11 None (open hole)	
1 Continous slot		wrapped		9 Drilled holes				
1 Continues slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)								
/ Total Cut								
SCREEN-PERFORATION INTERVALS: from 37 from					ft., Froi			
GRAVEL PACK INTERVALS: from 24			ft. to ft. to <b>52</b>		ft., Fro ft., Fro	••		
from			ft. to		ft., Fro		-	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other bentonite hole plug								
Grout Intervals: F		ft. to 24	ft. From	ft.	to	ft. From	ft to ft.	
What is the nearest source of possible contamination:			14 11011		10 Livest		Abandon water well	
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel s	storage 15	15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon			lizer storage 16	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage								
Direction from well?  How many feet?								
FROM TO	LI		FROM TO			PLUGGING INTERVALS		
0 10	fine sand							
10   25		streaks 8	clay					
25   52	medium fi	ne sand						
	***************************************				1 1			
				-	1			
<del>                                     </del>				<del> </del>	<del></del>			
				-	1			
<del>                                     </del>				1	1			
				+	1			
					+ +	· .		
	****					<u> </u>		
					1 1			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and								
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Well Contractor's License No								
		p Well & J					M: W: Foots of the Control of the Co	
JJ. 110 Subilit	viinnim					Jodd.	S. Harp	
						O Gaille :	c. swy	