


1 LOCATION OF WATER WELL		Fraction		Section Number		Township Number		Range Number	
County: KINGMAN		NW 1/4 NW 1/4 SW 1/4		7		T 30 S		R 5E E/W	
Distance and direction from nearest town or city? 3 Miles West of Norwich--1 1/2 South--East side of				Street address of well if located within city? Road Norwich, Kansas					
2 WATER WELL OWNER: Mark Turner RR#, St. Address, Box # : R. R. # 1, Box 55 City, State, ZIP Code : Norwich, Kansas				Board of Agriculture, Division of Water Resources Application Number:					
3 DEPTH OF COMPLETED WELL: 75 ft. Bore Hole Diameter: 11 in. to ft., and in. to ft.				Well Water to be used as: 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 7 Lawn and garden only 10 Observation well					
Well's static water level: 21 ft. below land surface measured on 9 month 11 day 1979 year				Pump Test Data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm					
4 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued X Clamped 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded				Blank casing dia: 5 in. to 20 ft., Dia in. to ft., Dia in. to ft. Casing height above land surface: 12 in., weight lbs./ft. Wall thickness or gauge No. 200					
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify) 12 None used (open hole)				Screen or Perforation Openings Are: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut .06 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
Screen-Perforation Dia: 5 in. to 75 ft., Dia in. to ft., Dia in. to ft.				Screen-Perforated Intervals: From 20 ft. to 75 ft., From ft. to ft., From ft. to ft.					
Gravel Pack Intervals: From 14 ft. to 75 ft., From ft. to ft., From ft. to ft.				5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grouted Intervals: From 40" X to 14 ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination: SEPTIC SYSTEM NOT INSTALLED 1 Septic tank 4 Cess pool AT THIS TIME? 7 Sewage lagoon 11 Fertilizer storage 14 Abandoned water well 2 Sewer lines 5 Seepage pit 8 Feed yard 12 Insecticide storage 15 Oil well/Gas well 3 Lateral lines 6 Pit privy 9 Livestock pens 13 Watertight sewer lines 16 Other (specify below) NONE APPARENT				Direction from well: How many feet? Water Well Disinfected? Yes X No Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes No X X If Yes: Pump Manufacturer's name Model No. HP Volts Depth of Pump Intake ft. Pumps Capacity rated at gal./min. Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other					
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 9 month 11 day 1979 year and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on 11 month 27 day 1979 year under the business name of Harp Well & Pump Service, Inc. by (signature) M. Arnold				7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  FROM TO LITHOLOGIC LOG FROM TO LITHOLOGIC LOG 0 3 Topsoil 3 6 Sandy 6 8 Clay 8 75 Red Shale ELEVATION: Depth(s) Groundwater Encountered 1. 63 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)					

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY

T

30

R

5

EW

SEC.

7

1/4

1/4

SW

1/4