1 LOCATION OF WATER WELL:			FRACTION	was	er wen Reco	ord Form W	W C-3	Section Number	Township Number	Range Number	
Kingman			SW 1/4	NE.	1/4	NE 1	1/4	21	т 30 s	EW	
Distance		n frem nearest town or city st							1 1 55 5	R SM E/W	
2 W/	ATER WELL	OWNER: HIBBS	, Donald								
RR#,	, ST. ADRESS,		-						Board of Agriculture, Di	ivivsion of Water Resource	
CITY	Y, STATE, ZIF		ich, Kansa	h, Kansas 67118 Application					Application Number	r:	
		LOCATION WITH 4	DEPTH OF CO		D WELL	70	)	ft. ELE	VATION:		
AN "X	K" IN SECTIO	N BOX:	Depth(s) groundy			1		ft.	2 ft.	3 ft.	
1		W	WELL'S STATIC W	VATER LI	EVEL 1	18	FT.	. BELOW LAND SUR	RFACE MEASURED ON mo/day/yr	05/04/1993	
	NW	X	Pump tes	st data:	Well	water was	s	ft. a	after hours pum		
		1 7 1 1	st. Yield	gpm:	Well	l water wa	ıs		after hours pum		
l w	v ———	E Bo	ore Hole Diameter	12	in.	to 70	)	ft.,	and in.	to ft.	
			ELL WATER TO	BE USED	AS:	5 Public v	wate	r supply §	8 Air conditioning 11 In	njection well	
a a	sw	siE	1 Domestic	3 Feedl					9 Dewatering 12 O	Other (Specify below)	
1 ville			2 Irrigation	4 Indus			•	_	0 Monitoring well		
+		e i	Vas a chemical/bact	eriological	l sample s	ubmitted t	o De	-		o/day/yr sample was	
S submitted Water Well Disinfected? Yes X No											
5 TYPE OF CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped											
1 Stee		3 RMP (SR)			stos-Ceme	ent		Other (Specify be	•	Velded	
2 PV		4 ABS		7 Fiber	rglass		S	DR-26	Т	hreaded	
	asing Diam			ft.,	Dia		_in.	to	ft., Dia in.	to ft.	
		ve land surface 16 EN OR PERFORATIO		,	weight	2.35			Wall thickness or gauge No. 10 Asbestos-ceme	.214	
1 Ste		3 Stainless Steel	JN MAI ERIAL.	5 Fiberg	glass			RMP (SR)	11 other (specify)		
2 Bra		4 Galvanized steel		6 Concre	_			O ABS			
			THE ADE.	0 00				ADS	12 None used (op 8 Saw cut	en noie) 11 None (open hole)	
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed with 1 Continuous slot 3 Mill slot 6 Wire wran							apped				
i	ered shutte	3 Mill slot er 4 Key puncl				re wrapped					
1					7 Toro				10 Other (specify)	_	
SCREE	N-PERFO	PRATION INTERVAL		5	ff	ft. to 70		ft., From	ft. to	ft.	
	~n		from		_	ft. to		ft., From		ft.	
	GRAV	EL PACK INTERVAI	<b>-</b> .	4		ft. to 70		ft., From	244 40	ft.	
from ft.							- D	ft., From		ft	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite Hole Plus ther											
Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to  What is the nearest source of possible contamination:  10 Livestock pens 14 Abandon water well											
	tic tank	4 Lateral li		7 Pit privy				11 Fuel sto		14 Abandon water well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon				12 Fertiliza	130	Oil well/Gas well Other (specify below)	
1	ertight sewe	_				,0			cide storage	to other (specify below)	
	on form we	* 6	-		ecuju.				How many feet? 200		
FROM			THOLOGIC LOG			FRO	<u>M</u>	то	PLUGGING INTER	RVALS	
0	1	topsoil									
1	15	very fine	silty sa	ınd							
15	25	clay									
25	70	red shale	1							,	
	<b>_</b>										
	<b> </b> '										
	<b> </b>							ļ			
	<b> </b> '										
	ļ										
7 CON	NTRACTO	R'S OR LANDOWNER'S	CERTIFICATION: Th	is water v	well was	(1) constr	ucto	ed, (2) reconstru	cted, or (3) plugged under m	y jurisdiction and	
was co	ompleted (	on (mo/day/year)	05/04/	1993		and this	rec	ord is true to the	e best of my knowledge and	belief, Kansas Water	
Well C	Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 06/22/93										
Under the business name of Harp Well & Pump Service, Inc. by (signature) and Andrick											