41.001=	<u> </u>		1=		WELL RECO	טאט For		KSA 82a		No		
	ON OF WATE		Fraction			<u>.</u>	1	ion Numbe	er Tow	nship Number	Range Nu	
County:		gman		1/4				6	T	30 s	R 5	W
Distance an	d direction fro	m nearest tow	n or city str	eet addr	ess of well if	located w	ithin city?					4
Approxir	nately three	miles we	st of Non	wich o	n Highway	y 42, Kin	gman Cou	ınty				
	WELL OWNE				Base							
	dress, Box #								Board	of Agriculture, D	Division of Water R	esources
City, State, 2	ZIP Code	: Wichit	a, KS 67	221						ation Number:		
LOCATE	WELL'S LOC	HTIW NOTA										
AN "X" II	N SECTION B	OX:	DEPTH	OF CC	MPLETED \	WELL	50	ft. ELI	EVATION:	1483.	00 (Metai Rin	!}
↑	1		Depth(s)	roundw	ater Encoun	tered 1	40)	ft. 2	ft.	3	ft.
	NW	-NE	WELL'S S	TATIC V	VATER LEVI	EL 1	9.25 ft.	below land	surface me	easured on mo/da	av/vr 07/24	/07
	.,,,	x:-									s pumping	anm
∰ W	<u>i</u>	E	Fet Viold		anm: I	Mall water			# offer	have	o pumping	gpiii
-	i		Done Hele	Diamete	gpiii. V	veli water	was		it. aitei		s pumping	ypiii
L.,	sw	. e	MELL WA	TEP TO	er U	in.to	blio untor o	, 	π. and		In. to	π.
	3,1	: :	1 Do	mestic	3 Feed lot	no. o Fi 6 Oi	l field water s	suppiy	9 De	watering	in. to 11 Injection well 12 Other (Specif	v helow)
♦	<u> </u>	i								lonitoring well	1	,,
	S											
					acteriological	sample s	ubmitted to D				es, mo/day/yr sam	
			submitted								No X	
_	F BLANK CAS				5 Wrought	t Iron	8 Concre	ete tile	CAS	NG JOINTS: GI	ued Clam	ped
1 Ste	el	3 RMP((SR)		6 Asbesto	s-Cement	9 Other	specify be	elow)	W	elded	
2 PV		4 ABS			7 Fibergla					The	eaded Flu	ush
	g diameter		in to		-							
Cools - 5	y ulai lietei		III. 10 		п., Dia		In. to	·	π., Dia		in. to	Tt.
Casing neig	nt above land	surface	30	ir	., weight		1.703	lbs./f	t. Wall thicl	kness or gauge N	10. SCH.	40
	CREEN OR P						-			10 Asbestos-ce		
1 Ste	el				5 Fibergla			RMP (SR))	11 Other (specif	fy) open hole)	
2 Bra					6 Concrete	e tile	9	ABS		12 None used (open hole)	
SCREEN O	R PERFORAT						d wrapped		8 Saw	cut	11 None (ope	n hole)
1 Cor	ntinuous slot	3	Mill slot			6 Wire w	rapped		9 Drill	ed holes		
2 Lou	vered shutter	4	Key punch			7 Torch	cut		10 Oth	er (specify)		
SCREEN-PI	ERFORATED	INTERVALS:	From		10 ft	. to	50	ft.	From		ft. to	ft.
			From								ft. to	
GRA	AVEL PACK IN	NTERVALS:	From	34	4.5 #	to	50		From		ft. to	
					ft							
6 000117		4.11.				. to					ft. to	
	MATERIAL:						3 Ben	tonite	4 Other			
Grout Interv	als From	0	ft. to	34.5	ft. From		ft. t	o	ft.	From	ft. to	ft.
What is the	nearest source	e of possible o	contaminati	on:					estock pens		Abandoned water	
1 Sep	otic tank		4 Lateral	lines	7	Pit privy		11 Fue	el storage	15	Oil well/ Gas well	
2 Sev	wer lines		5 Cess p	ool				12 Fer	tilizer stora	ge 16 '	Other (specify belo	w)
3 Wa	tertight sewer		6 Seepa			Feedyard			ecticide sto			
Direction fro								How mai	ny feet?			
FROM	TO	CODE	L	ITHOLO	GIC LOG		FROM	ТО		PLUGGING	INTERVALS	
0	6	Fil	l Sand, I	orown								
6	20		ale, weat									
20	22	Sil	tstone,	red bro	wn to gray							
22	28	Sh	ale, red									
28	30	Sil	tstone,	brown i	ed to gray							
30	36	Sh	ale, red									
36	50	Sil	tstone,	buff to	gray							
								1				
									1			
							1	1	1			
7 CONTRA	ACTOR'S OR	LANDOWNE	R'S CERTII	ICATIO	N: This water	er well was	(1) construc	ted (2) re	constructed	or (3) plugged u	nder my jurisdictior	and was
				09/06		HGG						
	on (mo/day/yr)									-	ledge and belief.	
	Contractor's L				531		This W	/ater Well			mo/day/yr) 09	125/0/
	usiness name		Geote	chnica	al Service	es Inc.	by	(signature	e) /	iaret a	<u>~~~</u>	
Jackson	n St., Ste. 420.	ase iiii in biank Topeka, Kansa	is and circle as 66612-136	me corre 37. Teler	ct answers. S shone: 913-2	end three o	copies to Kans end one to Wi	as Departm ATER WEI	nent of Healtl LOWNER a	n and Environment nd retain one for ye	t, Bureau of Water, 1	000 S W
		pona, nanac		1010	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	JU-JU4J. J	SING CHE IO VV	へったい、VVにL	T CANIMEL 9	na retain offeriol yt	oui 1 0 001u3.	