WATER WELL RECORD	Form WWC-5	Division of Wate	er Resources; App. No.		
1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number		
County: Kingman	NW1/4NW1/4NW	1/4	T 308	R 5 E/W	
Distance and direction from nearest town	or city street address of well it		Systems (decimal deg	- ,	
located within city? Latitude: Longitude:					
2 WATER WELL OWNER: BEAL	Longitude:	Longitude: Elevation:			
2 WATER WELL OWNER: BCH RR#, St. Address, Box # : 310 S	RANNINGPA	Datum:	Α		
City, State, ZIP Code :	ch, Ks	Datum. Data Collection	Method:		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL					
LOCATION	COLVER BURY READED VV RUBURY				
	water Encountered (1)	ft. (2)	ft. (3).	ft.	
SECTION BOX: WELL'S STATI	Depth(s) Groundwater Encountered (1)				
N Pump tes	Pump test data: Well water was				
	Est. Yieldgpm: Well water wasft. after				
[NW NE 1 m	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)				
W E 1 Domestic 2 Irrigation	Industrial 7 Domestic (la	wn & garden 10 Mo	nitoring well	ner (speerly below)	
GTY GT			• •		
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs					
Sample was submitted Water well disinfected? Yes No					
S					
5 TYPE OF CASING USED: 5 Wro 1 Steel 3 RMP (SR) 6 Ash			G JOINTS: Glued		
1 Steel 3 RMP (SR) 6 Ash	estos-Cement 9 Other (sp	ecify below)	Welded		
ZPVC 4 ABS 7 Fiberglass Threaded					
PVC 4 ABS 7 Fiberglass Threaded. Blank casing diameter 5 in. to 10 ft., Diameter in. to ft. Casing height above land surface in., Weight 140 lbs./ft. Wall thickness or guage No 10 lbs./ft.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)					
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot (3 Mill slot) 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)					
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)					
From ft to ft From ft to ft					
From					
From ft. to ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 6 Bentonite 4 Other Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)					
3 Watertight sewer lines 6 Seepage			il well/gas well		
		many feet? Change	harles.	TIDY I A T C	
ATTO ANTICOTOR OF THE PARTY OF	OGIC LOG F.	ROM TO	PLUGGING INT	EKVALS	
0 2 Topsoll 2 17 Sacru Clay				The state of the s	
2 17 Sandy Clay 17 51 Red Stand					
51 57 Clay					
57 70 Red Sand					
·					
T CONTRACTORS OR LANDOWNERS CERTIFICATION. This was all the contractions of the contraction of the contracti					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION; This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)					
Kansas Water Well Contractor's License No					
under the business name of Chase Ocilling by (signature) Dage					
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top					
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					