WATER WELL RECORD	Form WWC-5	Division of Wate	r Resources App. N	0.	
1 LOCATION OF WATER WELL: County: Jan 9 man	Fraction 1/4 SW 1/4 SW1/4 NW1/4	Section Number	Township No. T 30S	Range Number R 5 □E 🛛 W	
Street/Rural Address of Well Location;	if unknown, distance & direction	Global Positioning			
from nearest town of intersection: If at		Latitude: (in decimal degrees)			
		Longitude: (in decimal degrees)			
		Elevation:			
2 WATER WELL OWNER: Tab Turner		Collection Method:			
RR#, Street Address, Box #: 12362 SE 140 ave City, State, ZIP Code : Norwick Ko		GPS unit (Make/Model:) Digital Map/Photo, Topographic Map, Land Survey			
City, State, ZIP Code :	rich K	Est. Accuracy:	ioto, 📋 Topograpni 3 m. 🔲 3-5 m. 🗀	5-15 m.     215 m	
3 LOCATE WELL					
WITH AN "X" IN 4 DEPTH OF	THAN "X" IN  4 DEPTH OF COMPLETED WELL  5 D  6 (2)				
SECTION BOX: Depth(s) Groun	Depth(s) Groundwater Encountered (1)				
	Pump test data: Well water wasft. after hours pumping gpm				
EST. YIELDgpm. Well water wasft. after hours pumpinggpm					
w           E   Bore Hole Diameter f.din. toft., andin. toft.					
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well  Domestic Feedlot Oil field water supply Dewatering Other (Specify below)					
SW SE   Domestic   Feedlot   Oli field water supply   Dewatering   Other (specify below)					
Was a chemical/bacteriological sample submitted to Department? Yes You No					
S If yes, mo/day/yr sample was submitted					
1 mile  Water well disinfected? ▼ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter in. to					
Casing trialleter					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
Steel Stainless Steel PVC Other (Specify)					
Brass Galvanized Steel None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot SkMill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)					
SCREEN-PERFORATED INTERVALS: From. 40 ft. to 60 ft., From ft. to ft.  From. ft. to ft.					
GRAVEL PACK INTERVALS: From. 24 ft. to 80 ft., From ft. to ft. to ft.					
	From / ft to	ft From	ft	to ft	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From					
	ines Pit privy Livestock	ens 🔲 Insecticide	e storage Of	her (specify below)	
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well  Direction from well Nothing with Middle from well in All Auctions					
FROM TO LITHOLO	GIC LOG FROM	TO LITHO. L	OG (cont.) or PLU	JGGING INTERVALS	
- Company of the Comp					
2 19 Clay					
2 19 Clay San 19 56 Egie San 56 61 Clay Sanc	10				
56 61 Clay Sanc	√				
61 86 mol Sano	2				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☒ constructed, ☐ reconstructed, or ☐ plugged					
under my jurisdiction and was completed on $(mo/day/year)$ $4-12-12$ and this record is true to the best of my knowledge and belief.					
Kansas Water Well Contractor's License No. (Q) This Water Well Record was completed on (m)/day/year)					
under the business name of					
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					