County: Kingman Fraction: NE, SE, SW Sec. 34 T. 30 S R. 5 W						
CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)						
Owner: Duane Hilger LS well						
If location corrected, was listed as: Location changed to:						
Section-Township-Range:						
Fraction (¼ calls):						
Other changes: Initial statements: Casing depth installed, height above land, gravel pack interval, and						
complete description of well location not provided.						
Changed to: 5-in PVC to 88 feet below and 24 inches above land surface. Gravel pack 88 - 22 ft.						
Well ~ 1,100 feet NE of entrance to field N of NE 160 Rd.						
Comments:						
Verification method: Well construction and location information provided by WW Contractor.						
Location confirmed with STR FInder and Google Earth.						
Initials: PKC Date: 12/22/2021						
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724 Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367						

(rev 01/26/2018)

	WATER WELL RECORD Form WWC-5		Division of Water		t .	Well ID	
	☐ Correction ☐ Change in Well Use LOCATION OF WATER WELL: Fraction		Resources App. No. Well ID Section Number Township Number Range Number				
County: Kingma		e 45e 45w 4	1/4	34	T A S		
2 WELL OWNER: Last Name: Hilger First: Duane Street or Rural Address where well is located (if unknown, distance and							
Business: direction from neatest town or intersection): If at owner's address, check her							
Address: 14848 SE 180th From Monwich - Smile and Symile week							
Address:							
City: Monsich State: KG ZIP: 67118 Mondin into							
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMP	. <u>88</u> ft	. 5 Latitu	5 Latitude:(decimal degrees)			
SECTION BOX:	N ROY. Depth(s) Groundwater Encountered: 1) ft.				Longitude:(decimal degrees)		
N	N 2)				Horizontal Datum: WGS 84 NAD 83 NAD 27		
	WELL'S STATIC WATER LEVEL: 49 ft.				Source for Latitude/Longitude:		
	below land surface, measured on (mo-day-yr)				GPS (unit make/model:)		
NW NE	above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map		
W E					Online Mapper:		
1 1 1 1 1	Well wat			mmo wappor			
swjse	after hours p	gpm	C 773	4			
	Estimated Yield:I.Ogpm			o Eleva	6 Elevation:f Ground Level TOC Source: Land Survey GPS Topographic Map		
S mile	S Bore Hole Diameter: .10.5/3. in. to ft. and			☐ Other			
☐ Household	5. Public Water Supply: well ID				10. ☐ Oil Field Water Supply: lease 11. Test Hole: well ID		
☐ Lawn & Garden	7. Aquifer Recl	narge: well ID	•••••		sed Uncased U		
⊠ Livestock	8. ☐ Monitoring:	well ID	************		ermal: how many bore		
2. Irrigation	9. Environmental 1	Remediation: well ID	***************************************		osed Loop 🔲 Horizon		
	3. Feedlot				b) Open Loop Surface Discharge Inj. of Water		
4. Industrial Recovery Injection 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☐ Yes ☐ Yo If yes, date sample was submitted:							
Water well disinfected?							
8 TYPE OF CASING	USED: ☐ Steel ☐ DVC	☐ Other	CASII	STAIOL DA	: ☑Glued ☐ Clampe	d 🗌 Welded 🔲 Threaded	
Casing diameter							
TVDE OF CODERN OF	uriace in.	Weight	lbs./ft.	Wall thick	ness or gauge No	••••••	
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ Fiberglass ☐ PVC ☐ Other (Specify)							
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)							
☐ Louvered Shutter ☐ Key Punched ☐ Wire Wrapped ☐ Saw Cut ☐ None (Open Hole)							
SCREEN-PERFORATED INTERVALS: From . 82 ft. to . 122 ft., From . 42 ft. to . 22 ft., From ft. to ft.							
GRAVEL PACK INTERVALS: From							
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: FromQ. ft. to							
Nearest source of possible contamination: ☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage							
Watertight Server Lines George Dit							
Other (Specify)							
Direction from well?							
10 FROM TO	LITHOLOGIC	CLOG	FROM	TO	LITHO. LOG (cont.) o	r PLUGGING INTERVALS	
0 3	hed Top Sail						
3 5	Haved Red Clau		ļ				
3 12	Fine Red sans	4					
19 88	hed shale						
	· · · · · · · · · · · · · · · · · · ·	 					
			<u> </u>				
	Notes:						
11 CONTRACTORS OR LANDOWNERS CERTIFICATION. This was a second and all all and a second and							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was V constructed, I reconstructed, or I plugged under my jurisdiction and was completed on (mo-day-year)							
Kansas Water Well Contractor's License No. 47.4 This Water Well Record was completed on (mo-day-year)							
under the business name of							
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Ballonment, But and							
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.							
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015							

