1 LOCATION OF WATER WELL:		FRACTION		er wen kecon	1 Form WWC-	Section Number	Township Number	Range Number		
Kingman		SE 1/	4 SE	1/4	TE 1/4	10	т 30 s	R 6W E/W		
Distance and direction from nearest town or city street address of well if located within city?										
5 m. West of Norwich, 1/2m. S. of K-42 Hwy., W. side Norwich, Kansas										
1	TER WELL (T, Eva							
RR#,	ST. ADRESS,		ox 214					Board of Agriculture, D	ivivsion of Water Resource	
CITY, STATE, ZIP CODE: Norwich, Kansas 67118 67118 Application Number:									er:	
			DEPTH OF C	COMPLETE	D WELL	55	ft. ELI	EVATION:		
AN "X	" IN SECTIO	N BOX:	Depth(s) grow	ndwater Enco	ountered	1	ft.	2 ft.	3 ft.	
1 1		WE	LL'S STATIO	C WATER L	EVEL 1	5 F	T. BELOW LAND SU	RFACE MEASURED ON mo/day/yr	07/30/1996	
	NW	NE	Pump	test data:	Well	water was	ft.	after hours pum	ping gpm	
		Est.	Yield	gpm:	Well	water was	ft.	after hours pum	ping gpm	
M M	_	E Boro	e Hole Diamet	ter 12	in.	to 55	ft.	and in.	to ft.	
-			LL WATER 1			5 Public wat		•	njection well	
	sw		1 Domestic	3 Feed		6 Oil field w			Other (Specify below)	
		1 1 1	2 Irrigation	4 Indus		7 Lawn and	•	10 Monitoring well		
} +	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was									
submitted water went Districted? Yes X No										
1 Stee					ught iron		8 Concrete tile		lued X Clamped	
2		3 RMP (SR)		6 Asbestos-Cement 7 Fiberglass			9 Other (Specify b	•	Welded Threaded	
2 PVC	_	4 ABS	. 05		•	-	SDR-26			
i	asing Diam	•	to 25	ft.,	Dia	in Se		ft., Dia in.	to ft.	
Casing height above land surface 12 in., weight 2.35 lbs./ft. Wall thickness or gauge No214 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement										
1 Ste		3 Stainless Steel		5 Fiber	glass		8 RMP (SR)	11 other (specify	7)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)										
SCREEN OR PERFORATION OPENING ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)										
1	nous slot	3 Mill slot				wrapped		9 Drilled holes	,	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)										
SCREE	N-PERFO	RATION INTERVALS	: from	25		to 55	ft., From		ft.	
25							ft., Fron		ft.	
GRAVEL PACK INTERVALS: from				24	ft. to 4 ft. to 55		ft., Fron			
	02411		from	• •	ft. to		ft., Fron		ft. ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other										
Grout In	ntervals:	From 4 ft.	to 24	ft.	 From	ft.	to	ft. From	ft. to ft.	
What is	the neares	t source of possible cont	amination:				10 Livesto	.1	Abandon water well	
1 Septic tank 4 Lateral line			es	7 Pit privy			11 Fuel st	130	Oil well/Gas well	
2 Sewer lines 5 Cess pool				8 Sewage lagoon		oon			Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage None Apparent									Apparent	
Direction from well? How many feet?										
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS									RVALS	
0	3	topsoil								
3	15	fine sand								
15	55	red shale					+			
2		A110-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1				-				
								The state of the s		
i										
ļ ————						<u> </u>		and the second s		
		- the manufacture of the filter of the section of t								
7 CONTRACTOR'S OR LANDOWNERS CERTIFICATION. This water well was (1) constructed (2) reconstructed or (3) plugged under my jurisdiction and										
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)										
Well Contractor's License No23.6										
Under	the busir	ness name of HARD	Well	& Pump	Serv	ice, I	NG by (sign	nature)	**************************************	
Todd S. Harp										
								0 0 0000 70	• • • • • • • •	