		L RECORD	Form W	WC-5	Division of Water Resources App. No.
		OF WATER WELL:	Fraction		Section Number Township No. Range Number
	nty: harp		1/4 SE 1/4 SE		2 T 32 S R 8 □E ☑W
Street/Rural Address of Well Location; if unknown, distance & direction Global Positioning System (GPS) information:					
from	from nearest town or intersection: If at owner's address, check here .				Latitude: .3717.502 N(in decimal degrees)
6.5	miles we	st of Harper south into			Longitude: 98 09.759 W (in decimal degrees)
		•			Elevation: 1485
2 WA	TER WE	LL OWNER: Cecil Mi	llor		<u>Datum</u> :
		00011 1411	iler ith Whittier Suit 2000	1	Collection Method: ☐ GPS unit (Make/Model: Magellan Meridian)
	, State, ZI	D.C. 1.	KS 67207	,	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
	, ,	VVICTILIA	NS 0/20/		Est. Accuracy: □ <3 m, □ 3-5 m, ☑ 5-15 m, □ >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 54 ft.					
	H AN "X"	IN 4 DEPTH OF C	COMPLETED WELL	L .54	ft.
SEC	SECTION BOX: Depth(s) Groundwater Encountered (1).27				
	WELL 5 STATIC WATER LEVEL				
		Pump	test data: Well wate	r was	ft. after hours pumping gpm
EST. YIELD. 30gpm. Well water was					
W Bore Hole Diameter 10.5/8 in. to .54 ft., and in. to					
Domestic Decoder Difficial vector country Decodering Delta (Constitution)					
SW SE					
Was a chemical/bacteriological sample submitted to Department? Yes No					
S If yes, mo/day/yr sample was submitted					
1 mile Water well disinfected? ✓ Yes □ No					
5 TYPE OF CASING USED: Steel PVC Other					
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter .5					
Casing height above land surface. 30 in., Weight					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
☐ Steel ☐ Stainless Steel ✔ PVC ☐ Other (Specify)					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)					
□ Louvered shutter □ Key punched □ Wire wrapped □ Saw cut □ Other (specify)					
From					
GRAVEL PACK INTERVALS: From54 ft. to20 ft., From					
	0.01.2		From f	t. to	ft., From ft. to ft.
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other					
Grout Intervals: From .20					
What is the nearest source of possible contamination:					
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)					
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well					
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☐ Oil well/gas well Direction from well Distance from well					
FROM	TO	LITHOLOGI		FROM	TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0		silty sand			2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2
15	 	dk grey clay			The state of the s
25		layered clay / gravel			
		-,-,-,-, , ,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
			. 111		
		. 7.			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged					
under m	y jurisdict	ion and was completed on	(mo/day/year) .05/25	5/11aı	nd this record is true to the Dest of my knowledge and belief.
Kansas	Water We	Il Contractor's License No	665 This W	ater Well R	ecord was completed on (mo/day/year) 05(31/11
under th	e business	name of Pratt Well Se	rvice inc.		by (signature)
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and theck the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.					
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at					
http://www.kdheks.gov/waterwell/index.html.					
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy					