

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Kingman</u>		<u>NW 1/4 NW 1/4 NE 1/4</u>	<u>15</u>	T <u>30</u> S	R <u>7</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city?					
2 WATER WELL OWNER:					
RR#, St. Address, Box # :			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code :			Application Number:		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL <u>38'</u> ft. ELEVATION: <u>1432.52</u>			
		Depth(s) Groundwater Encountered 1 ft. 2 ft. 3 ft. WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well <u>MW 24</u>			
		Was a chemical/bacteriological sample submitted to Department? Yes No <input checked="" type="checkbox"/> ; If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No <input checked="" type="checkbox"/>			
5 TYPE OF BLANK CASING USED:					
1 Steel		3 RMP (SR)	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
<u>PPVC</u>		4 ABS	6 Asbestos-Cement	9 Other (specify below)	Welded
Blank casing diameter <u>2</u> in. to <u>13</u> ft. Dia		7 Fiberglass	Threaded		
Casing height above land surface <u>3'</u> in., weight		lbs./ft. Wall thickness or gauge No.			
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless Steel	5 Fiberglass	<u>7</u> PVC	10 Asbestos-Cement
2 Brass		4 Galvanized Steel	6 Concrete tile	8 RMP (SR)	11 Other (Specify)
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
1 Continuous slot		<u>3</u> Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter		4 Key punched	7 Torch cut	10 Other (specify)	ft.
SCREEN-PERFORATED INTERVALS: From <u>38</u> ft. to <u>13</u> ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>38</u> ft. to <u>11</u> ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout <u>3</u> Bentonite 4 Other					
Grout Intervals: From <u>10</u> ft. to <u>1</u> ft. From ft. to ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
Direction from well?				How many feet?	
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>0</u>	<u>5</u>	<u>Brown silty sand, med dense</u>	<u>38</u>	<u>11</u>	<u>Natural Sand</u>
<u>5</u>	<u>38</u>	<u>tan med. sand loose clean</u>	<u>11</u>	<u>10</u>	<u>Secondary</u>
			<u>10</u>	<u>1</u>	<u>Grout</u>
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>8-23-05</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No <u>704</u> This Water Well Record was completed on (mo/day/yr) <u>8-23-05</u> under the business name of <u>MAXS</u> by (signature) <u>Don H. Hough</u>					