


1 LOCATION OF WATER WELL: County: <b>Kingman</b>		Fraction <b>SW</b> <b>NW</b> 1/4 <b>SW</b> 1/4	Section Number <b>32</b>	Township Number <b>T 30 S</b>	Range Number <b>R 9 W E/W</b>
Distance and direction from nearest town or city street address of well if located within city? <b>3 W 3 3/4 S of Zenda</b>					
2 WATER WELL OWNER: RR#, St. Address, Box # : <b>James Jacobs</b> <b>17740 Sw 120 Ave</b> City, State, ZIP Code : <b>Kingman, Ks. 67068</b>		Board of Agriculture, Division of Water Resources Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: <div style="text-align: center;"></div>		4 DEPTH OF COMPLETED WELL <b>54</b> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <b>45</b> ft. 2. ft. 3. ft. WELL'S STATIC WATER LEVEL <b>9 1/2</b> ft. below land surface measured on mo/day/yr <b>11-21-97</b> Pump test data: Well water was ft. after hours pumping gpm Est. Yield <b>15</b> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter <b>9</b> in. to <b>3 1/4</b> ft. and in. to ft. WELL WATER TO BE USED AS: 1 <u>Domestic</u> 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes..... No..... If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded Blank casing diameter <b>5</b> in. to <b>35</b> ft. Dia <b>45</b> in. to <b>54</b> ft. Dia in. to ft. Casing height above land surface <b>18</b> in. weight lbs./ft. Wall thickness or gauge No. <b>.210</b> TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 <u>PVC</u> 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 <u>Saw cut</u> 11 None (open hole) 2 Louvered shutter 4 Key punched <b>2 1/2</b> 6 Wire wrapped <b>1 1/2</b> 9 Drilled holes 7 Torch cut <b>45</b> 10 Other (specify) SCREEN-PERFORATED INTERVALS: From <b>35</b> ft. to <b>45</b> ft. From ft. to ft. From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From <b>23</b> ft. to <b>54</b> ft. From ft. to ft. From ft. to ft. From ft. to ft.			
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 <u>Bentonite</u> 4 Other		Grout Intervals: From <b>3</b> ft. to <b>23</b> ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 <u>Sewer lines</u> 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines <b>SW</b> 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage Direction from well? How many feet? <b>200</b>			
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS					
0	2	soil			
2	22	clay			
22	34	fine sand			
34	45	clean sand			
45	46	caliche			
46	54	fine sand & caliche			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>11-21-97</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>140</b> This Water Well Record was completed on (mo/day/yr) <b>11-21-97</b> under the business name of <b>Luman Inc.</b> by (signature) <i>[Signature]</i>					