WATER WELL RECORD		Form W	VWC-5	Division of W	ater Resources App. N	lo	
1 LOCATION OF WATE County:	man	raction VE1/4 N	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Township No.	Range Number R 9 □E MW	
Street/Rural Address of V	Vell Location; if u	ıknown, distance	& direction	<b>Global Position</b>	ing System (GPS) i		
from nearest town or inte	rsection: If at own	er's address, chec	ck here 🔲.			(in decimal degrees)	
4E. Nashvi	1/2 KS Z	S. 1/21				(in decimal degrees)	
1 = 1 10 acolor.				Elevation:			
2 WATER WELL OWN	ER: Calad	- Helly	nan	Datum: WG	S 84, □ NAD 83, □	] NAD 27	
2 WATER WELL OWNER:  RR#, Street Address, Box #:  Circ. State 7th Code  Batum: WGS 84, NAD 83, NAD 27  Collection Method:  GPS unit (Make/Model:)							
City, State, ZIP Code	: A1 1			Digital Man		_ ′ ∣	
	<b>Nash</b>	VIIIe.KS	67112	Est. Accuracy:	/Photo, ∐ Topograph ☐ <3 m, ☐ 3-5 m, ☐	] 5-15 m, □ >15 m	
3 LOCATE WELL		//	100				
WITH AN "X" IN 4	DEPTH OF CO	MPLETED WEI	LL <i>I. V</i>	7.5	ft. ft.	(2)	
SECTION BOX:	epth(s) Groundwa	ter Encountered	( 37 1/2°	(2) וtt.	It.	(3)5 -2 4 17	
	WELL 5 STATIC WATER ELVILE						
	CT VIELD	data: Well wat	er was	f after	hours pun	aping gpm	
NW NE   E	ore Hole Diameter	in to	(1) () f		nours pun in. to	iping gpin	
W E B	JELL WATER TO	BE LISED AS:	□ Public wate	er supply	Geothermal	Injection well	
1						Other (Specify below)	
1~~5W15E1 1							
	Vas a chemical/bac						
s		/yr sample was su			_ ~		
mile  V	Vater well disinfect	ed? Yes 🔲	No				
5 TYPE OF CASING USED: Steel PVC Other							
CASING JOINTS: \$\forall G	ued $\square$ Clampe	d □ Welded	☐ Threaded		••••••		
CASING JOINTS: Glued Clamped Welded Threaded Casing diameter fin. to ft., Diameter ft., Diameter ft., Diameter ft., Weight Welded Manual ft., Wall thickness or gauge No.							
Casing height above land surface. 24 in. Weight 16/1 lbs/ft. Wall thickness or gauge No							
TYPE OF SCREEN OR PE	RFORATION MA	TERIAL:					
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot							
Louvered shutter Key punched Wire wranged Saw cut Cher (specify)  SCREEN-PERFORATED INTERVALS: From							
From							
From							
From 18 ft to 100 ft From 11. At to ft							
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other							
Grout Intervals: From							
What is the nearest source of possible contamination:							
Septic tank							
☐ Sewer lines       ☐ Cesspool       ☐ Sewage lagoon       ☐ Fuel storage       ☐ Abandoned water well         ☐ Watertight sewer lines       ☐ Seepage pit       ☐ Feedyard       ☐ Fertilizer storage       ☐ Oil well as well							
Direction from well			_ p	rom well	2640		
FROM TO	LITHOLOGIC		FRQM			JGGING INTERVALS	
n 3 Sal	/		51.	7 54	1 (frue		
3 10 20	y Shad		7.5	7/3 70	A Clay		
10 28 TA	n. Brown	whtch	4 7/5	17 50	nd o		
28 32 47	re Sand		77	81 000	Clay		
37 35 Wht	Class		81	98 54	nd .		
35 38 Si	d di		98	100 P/L	e Sand.		
38 49 Lel	Clay						
49 52 Fine	a.1 5hm	A					
52 54 Tan	Clair						
54 56 FI	4 15am	A					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo/daytygar) 52412 and this record is true to the pest of my knowledge and belief.							
under my jurisdiction and was completed on (mo/day/year) 224 and this record is true to the pest of my knowledge and belief.							
Kansas Water Well Contractor's License No This Water Well Record was completed on (mo/day/year)							
under the business name of	Lyman	5. Luc	WI bbiym	by (signature).	Miller	Myran	
INSTRUCTIONS: Use typewrite (white, blue, pink) to Kansas Dep							
Telephone 785-296-5524. Send of	one copy to WATER	WELL OWNER and	retain one for yo	our records. Include	fee of \$5.00 for each	constructed well. Visit us at	
http://www.kdheks.gov/waterwell/index.html.							
KSA 82a-1212							