WATER WELL RI			n of Water es App. No.	W	ell ID	
	CATION OF WATER WELL: Fraction		ction Number Township Number Range Number			
County: King	aman SB SE	145 E =	55	т <i>30</i> s	R ¶ □ E XW	
2 WELL OWNER: 1.1 Business:	st Name: Conrard First: Steve	Street or Rural A	Address where w	vell is located (if un	nknown, distance and Idress, check here:	
Address: 448		direction from heare				
Address: SDM	1	16	42 1	lashvill	t, ko	
2 LOCATE WILL						
WITH "X" IN	Depth(s) Groundwater Encountered: 1)	59 ft ::			(decimal degrees)	
SECTION BOX:	2) ft. 3) ft., or 4)) 🛗 Dry Well 🔠		3S 84 □ NAD 83		
	WELL'S STATIC WATER LEVEL:	f ft.		itude/Longitude:		
NW NE	above land surface, measured on (mo-da			make/model: AS enabled? Yes) ˈ ; □No)	
	Pump test data: Well water was ft. Land Survey Topographic Map				: Мар	
W E	after hours pumping		☐ Online Ma	ıpper:		
SW SE	after hours pumping	gnm	6 Floration:	в П	Ground Level 🔲 TOC	
S	Estimated Yield:	7 ft and	Source: Lar	nd Survey GPS	☐ Topographic Map	
1 mile Other						
7 WELL WATER TO BE USED AS: 1. Domestic: 5. ☐ Public Water Supply: well ID						
1. Domestic: ☐ Household	5. ☐ Public Water Supply: well ID .6. ☐ Dewatering: how many wells?			Vater Supply: lease ell ID		
Lawn & Garden	7. Aquifer Recharge: well ID		☐ Cased ☐	Uncased Geot	echnical	
Livestock		8. ☐ Monitoring: well ID				
2. ☐ Irrigation 3. ☐ Feedlot	☐ Air Sparge ☐ Soil Vapo				rge Inj. of Water	
4. 🗌 Industrial 💮 Recovery 🗀 Injection 13. 🗀 Other (specify):						
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:						
Water well disinfected?						
Casing diameter in. to						
Casing height above land surface						
TYPE OF SCREEN OR PERFÖRATION MATERIAL: □ Steel □ Steel □ Fiberglass □ Other (Specify)						
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)						
SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)						
☐ Continuous Slot ☐ Mill Slot ☐ Gauze Wrapped ☐ Torch Cut ☐ Drilled Holes ☐ Other (Specify)						
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From						
GRAVEL PACK INTERVALS: From						
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other						
Nearest source of possible contamination:						
☐ Septic Tank☐ Sewer Lines	☐ Lateral Lines ☐ Pit Privy ☐ Cess Pool ☐ Sewage ☐		vestock Pens el Storage	☐ Insecticide		
☐ Watertight Sewer Lir			tilizer Storage	☐ Oil Well/G		
☐ Other (Specify) ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐						
10 FROM TO	LITHOLOGIC LOG	FROM	TO LITHO		UGGING INTERVALS	
0 2	Solla	79 8		ind,		
7-6	Ked Clay	82	864 50	e Sped		
4 // 77	White Clay	84	37 30	d Shale		
20 29	Red Chiny O		V. J. P.C.	A STREET		
29 50	50nd					
50 62	Wh. X-Clay	Notes:				
95 16	12 12 Sand Clay					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged						
under my jurisdiction and was completed on (mo-day/year)						
under the business name of						
INSTRUCTIONS: Send one copy to WATER WELL OWNER and retain one copy for your records. Submit fee of \$5.00 for each constructed yell along with one (white) copy to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topcka, Kansas 666124367. Telephone (785) 296-3565.						

KSA 82a-1212

Visit us at http://www.kdheks.gov/waterwell/index.html

Revised 9/10/2012