

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Sumner</u>		<u>SE 1/4 SE 1/4 SW 1/4</u>	<u>35</u>	T <u>31</u> S	R <u>1</u> <u>EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>~1 mile No. of Wellington</u>					
2 WATER WELL OWNER:		mws			
RR#, St. Address, Box # :		Board of Agriculture, Division of Water Resources			
City, State, ZIP Code :		Application Number:			
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>16</u> ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>999/0</u> ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter in. to ft., and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No <u> </u>		If yes, mo/day/yr sample was submitted			
Water Well Disinfected? Yes No <u> </u>					
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued Clamped			
1 Steel		5 Wrought iron			
3 RMP (SR)		6 Asbestos-Cement			
2 <u>PVC</u>		9 Other (specify below)			
4 ABS		7 Fiberglass			
Blank casing diameter in. to <u>6</u> ft., Dia		Welded			
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.		<u>Threaded</u>			
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 <u>PVC</u>			
1 Steel		10 Asbestos-cement			
3 Stainless steel		8 RMP (SR)			
2 Brass		11 Other (specify)			
4 Galvanized steel		12 None used (open hole)			
6 Concrete tile		9 ABS			
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			
1 Continuous slot		8 Saw cut			
3 <u>1/4" slot</u>		11 None (open hole)			
2 Louvered shutter		6 Wire wrapped			
4 Key punched		9 Drilled holes			
7 Torch cut		10 Other (specify)			
SCREEN-PERFORATED INTERVALS: From <u>6</u> ft. to <u>16</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>5</u> ft. to <u>16</u> ft., From ft. to ft.					
6 GROUT MATERIAL:		1 Neat cement			
Grout Intervals: From <u>6</u> ft. to <u>1.5</u> ft., From <u>1.5</u> ft. to <u>5</u> ft., From ft. to ft.		2 Cement grout			
What is the nearest source of possible contamination:		3 Bentonite			
1 Septic tank		4 Other			
4 Lateral lines		10 Livestock pens			
7 Pit privy		14 Abandoned water well			
8 Sewage lagoon		11 Fuel storage			
9 Feedyard		15 Oil well/Gas well			
3 Watertight sewer lines		12 Fertilizer storage			
6 Seepage pit		13 Insecticide storage			
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
<u>5</u>	<u>15</u>	<u>Clay, rd brn</u>			
		<u>Shale, gray</u>			
<u>Blushmount Waiver</u> <u>by D. Taylor</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4/28/98</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>423</u> This Water Well Record was completed on (mo/day/yr) <u>6/15/98</u> under the business name of <u>TEST</u> by (signature) <u>Bob Robinson by LL</u>					