WATER WELL RECORD Form WWC-5 KSA 82a-1212 1 LOCATION OF WATER WELL: Range Number Fraction Township Number Section Number County: Sumner SE 1/4 SE 1/4 31 26 Distance and direction from nearest town or city street address of well if located within city? 411 N. West Rd., Wellington 2 WATER WELL OWNER: IKON Office Solutions RR#, St. Address, Box# : 70 Valley Stream Parkway Board of Agriculture, Division of Water Resources Malvern, PA 19335 City, State, ZIP Code Application Number: 3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1.....ft. 2......ft. 3...........ft. Ν WELL'S STATIC WATER LEVEL . . . . . . . . . . . . . . . . . . ft. below land surface measured on mo/day/yr Pump test data: Well water was .... NA.... ft. after ...... hours pumping ...... gpm NW ... NE -Est. Yield ... NA... gpm: Well water was .......... ft. after ......... hours pumping ......... gpm W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 1 Domestic SE 7 Lawn and garden only 10 Monitoring well 2 Irrigation ...... 4 Industrial Was a chemical/bacteriological sample submitted to Department? Yes........No 🗸 ..; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes CASING JOINTS: Glued . . . . . Clamped . . . . . TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded . . . . . . . . . . . . . . . . . . Threaded. PVC 4 ABS 7 Fiberglass Casing height above land surface . . . . . -3.96 . . . . . in., weight . . . . . . . . . . ...... lbs./ft. Wall thickness or gauge No. .....Sch..40..... 7 PVC TYPE OF SCREEN OR PERFORATION MATERIAL 10 Asbestos-cement 8 RMP (SR) 1 Steel 3 Stainless steel 5 Fiberglass 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 8 Saw cut 11 None (open hole) 5 Gauzed wrapped 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes Key punched 7 Torch cut 2 Louvered shutter SCREEN-PERFORATED INTERVALS: GRAVEL PACK INTERVALS: 3 Bentonite 1 Neat cement 2 Cement grout What is the nearest source of possible contamination: 10 Livestock pens 14 Abandoned water well 7 Pit privy 15 Oil well/Gas well 1 Septic tank 4 Lateral lines 11 Fuel storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 3 Watertight sewer lines 6 Seepage pit 9 Feedvard 13 Insecticide storage Direction from well? How many feet? FROM TO LITHOLOGIC LOG FROM PLUGGING INTERVALS 0.5 0 Concrete with rebar. 0.5 Gravel, road base material, 1 Clay, silty, Lt. Brown to Med. Gray 7 19.5 Clay, silty, Med. Gray 19.5 Shale, highly wthrd., Med. to Dark Gray 25 MW6, Flushmount Project Name: Weston - Wellington Airport × GeoCore # 1471, # × under the business name of by (signature) GeoCore, Inc.

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.