

County: Sumner Fraction NW SE SE SE Sec. 26 T 31 S R 1 E (W)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Triumph Accessory Service

Location was listed as:

Location changed to:

Section-Township-Range: 26-31S-25E

26-31S-1W

Fraction (1/4 1/4 1/4): SE SE

NW SE SE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Latitude & longitude, KGS' "LEO" conversion tool,
well site address and area road map, and mapping tool on
KGS website. initials: DRJ date: 8/16/2012

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726

to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.



WESTON Solutions
1400 Weston Way
West Chester, PA
610-701-7400
610-701-7401

LOG OF: **SB-18 / PZ-18**
(1 of 1)

Project Number: **05259.010.001.0009**

Client: IKON		Drilling Company: PSA Environmental	
Project: Triumph Accessory - KDHE		Driller:	
Location: Wellington, Kansas		Boring Method: Direct Push - Geoprobe	
North:		Logged By: S. roy	
Total Depth: 18.0	Elev GS:	Completion Date: April 26, 2012	
		Datum:	

Sample Type/No.	Blow Counts	Rec (%)	SOIL DESCRIPTION	Depth (feet)	PID (ppm)	WELL LOG	REMARKS
SS			Concrete				
SS			Compacted gravelly sand		97 ppm		
SS			Dark gray to black clay, cohesive hard, some odor and slight staining, dry.		62.9 ppm		
SS				5	13.6 ppm		
SS					9.5 ppm		
SS					8.5 ppm		
SS			Light beige to orange silty clay, cohesive hard, dry no stains or odor, slightly soft and moist between 15-16 ft.	10	3.4 ppm		
SS					7.2 ppm		
SS				15	5.1 ppm		
SS					3.8 ppm		
			Boring terminated at 18 ft				
				20			
				25			

LOG A EWNN07 LOG A EWNN03.GPJ LOG A EWNN07 6/8/12