County: SUMNET Fraction NESESES	E Sec. 26 T 3/ S R / E(W)
CORRECTION(S) TO WATER WELL COM (to rectify lacking or incorrect Owner: Triumph Accessory Service	PLETION RECORD (WWC-5) ort information)
Location was listed as:	Location changed to:
Section-Township-Range: 26-3/5-25 E	26-315-1W
Fraction (1/4 1/4 1/4): SE SE	NESESESE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Latitude & longitude,	KGS' "LEO" CONVERSION tool
Verification method: Latitude & longitude, well-site address and area road m	ap, and mapping tool on
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 C	initials: OR date: 8/16/2012
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jac	onstant Ave., Lawrence, KS 66047-3726 / / kson, Suite 420, Topeka, KS 66612-1367.

		क्रम अध्यक्त	X7 <i>C</i> C #	D . 1	.: £ YY7	Bacomaga Ann	SB-21		
WATER WELL REC	CORD	Form WV	VC-5			r Resources App. 1 Township No.	Range N	umber	
1 LOCATION OF WA	TER WELL:	Fraction SE 1/4 SE 1/4	1/4 1/4	26 T 31 S R 25 ZE				ZE W	
County: Sumner SE 1/4 SE 1/4 1/4 7/4 Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here			Global Positioning System (GPS) information: Latitude: .37.3195						
2 WATER WELL OWNER: Triumph Accessory Service RR#, Street Address, Box #: 411 N. West Road City, State, ZIP Code : Wellington, KS 67152			Collection Method: ☐ GPS unit (Make/Model: Google Earth ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m,						
A DEPTH OF COMPLETED WELL 18.0' ft. SECTION BOX: N SECTION BOX: N Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.									
5 TYPE OF CASING USED: Steel ✓ PVC Other CASING JOINTS: Glued Clamped Welded ✓ Threaded Casing diameter 1.0"									
6 GROUT MATERIAL: Neat cement Cement grout From 1.0' ft. to 6.0' ft., From ft. to ft., From ft., From ft. to ft., From									
FROM TO	LITHOLO	GIC LOG	FROM	TO		LOG (cont.) or P			
	oring Log				AND THE PROPERTY OF THE PARTY O				
			-						

								4	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, preplugged under my jurisdiction and was completed on (mo/day/year) 4/28/2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/year) 5/30/2012 under the business name of									
http://www.kdheks.gov/waterwell/index.html.									
KSA 82a-1212 for Correction Date: 6 36 13									



WESTON Solutions 1400 Weston Way West Chester, PA 610-701-7400 610-701-7401

LOG OF: <u>SB-21 / PZ-21</u> (1 of 1)

05259.010.001.0009 610-701-7401 Project Number: Drilling Company: PSA Environmental **IKON** Client: Driller: Trimph Accessory - KDHE Project: Boring Method: Direct Push - Geoprobe Wellington, Kansas Location: Logged By: S. roy East: North: Completion Date: April 28, 2012 Total Depth 18.0 Elev GS: Datum: WELL PID Depth REMARKS Blow Rec SOIL DESCRIPTION Sample (ppm) LOG (feet) (%) Type/No. Counts Concrete SS beige sand Dark gray to black clay with small gravel cohesive, moderate plasticity, SS no odor, dry. Light to medium gray clay, cohesive soft, high plasticity, no odor or stain, moist. SS SS 12.7 SS ppm 4.3 ppm SS 4.6 ppm SS Light beige to orange silty clay, cohesive soft, moist to wet between 3.2 ppm SS 14 ft. to 16 ft. no odor. 2.9 ppm SS Boring terminated at 18 ft LOG A EWNN07 LOG A EWNN03.GPJ LOG A EWNN07 20 25