

County: Sumner Fraction NESE SESE Sec. 26 T 31 S R 1 E (W)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)
(to rectify lacking or incorrect information)

Owner: Triumph Accessory Service

Location was listed as:

Section-Township-Range: 26-31S-25E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SE SE

Location changed to:

26-31S-1W

NE SE SE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Latitude & longitude, KGS' "LEO" conversion tool,
well/site address and area road map, and mapping tool on
KGS website.

Submitted by: _____ initials: DR date: 8/16/2012
to: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

SB-23

Check: ☐ White Copy, ☐ Blue Copy, ☐ Pink Copy



WESTON Solutions
1400 Weston Way
West Chester, PA
610-701-7400
610-701-7401

LOG OF: **SB-23 / PZ-23**
(1 of 1)

Project Number: **05259.010.001.0009**

Client: IKON	Drilling Company: PSA Environmental
Project: Triumph Accessory - KDHE	Driller:
Location: Wellington, Kansas	Boring Method: Direct Push - Geoprobe
North:	East:
Total Depth: 18.0	Elev GS:
Datum:	Logged By: S. roy
	Completion Date: April 28, 2012

Sample Type/No.	Blow Counts	Rec (%)	SOIL DESCRIPTION	Depth (feet)	PID (ppm)	WELL LOG	REMARKS
SS			Concrete		257 ppm		
SS			Medium brown gravelly sand with clay, non cohesive, dry, very slight odor.		11.7 ppm		
SS			Dark gray to black clay with small gravel cohesive, moderate plasticity, no odor, dry.	5	56 ppm		
SS			Light to medium gray clay, cohesive soft, high plasticity, no odor or stain, moist.		739 ppm		
SS					8.3 ppm		
SS				10	7.8 ppm		
SS			Light beige to orange silty clay, cohesive soft, moist to wet between 14 ft. to 16 ft. no odor.		11.3 ppm		
SS				15	6.1 ppm		
SS					3.8 ppm		
			Boring terminated at 18 ft				
				20			
				25			

LOG A EWN07 LOG A EWN03.GPJ LOG A EWN07 6/8/12