

County: Sumner Fraction NE SE SE SE Sec. 26 T 31 S R 1 E (W)

CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)

(to rectify lacking or incorrect information)

Owner: Triumph Accessory Service

Location was listed as:

Location changed to:

Section-Township-Range: 26-31S-25E

26-31S-1W

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SE SE

NE SE SE SE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: Latitude & longitude, KGS' "LEO" conversion tool,
wellsite address and area road map, and mapping tool on
KGS website. initials: DR date: 8/16/2012

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

Rev. Correction Date: 1-26-12



WESTON Solutions
1400 Weston Way
West Chester, PA
610-701-7400
610-701-7401

LOG OF: **SB-25 / PZ-25**
(1 of 1)

Project Number: **05259.010.001.0009**

Client: IKON				Drilling Company: PSA Environmental			
Project: Trimph Accessory - KDHE				Driller:			
Location: Wellington, Kansas				Boring Method: Direct Push - Geoprobe			
North:		East:		Logged By: S. roy			
Total Depth 21.0		Elev GS:		Datum:		Completion Date: April 28, 2012	
Sample Type/No.	Blow Counts	Rec (%)	SOIL DESCRIPTION	Depth (feet)	PID (ppm)	WELL LOG	REMARKS
SS			Concrete		25.4 ppm		
SS			Medium brown coarse sand		28.2 ppm		
SS			Dark gray to black silty clay, cohesive, moderate plasticity, no odor, dry.				
SS			Light beige to orange silty clay, cohesive soft, moist but not wet, no odor.	5	17.5 ppm		
SS					10.6 ppm		
SS					13.9 ppm		
SS					8.7 ppm		
SS					7.6 ppm		
SS				15	11.8 ppm		
SS					9.6 ppm		
SS			Medium gray weathered shale with some agular rock fragments, moist/wet, no odor	20	4.6 ppm		
			Boring terminated at 21 ft				
				25			

LOG A EWNN07 LOG A EWNN03.GPJ LOG A EWNN07 6/8/12