County: SUMMER Fraction NESE SESE Sec. 2	<u>6</u> T <u>3/</u> s R / E(W)
CORRECTION(S) TO WATER WELL COMPLETION RE (to rectify lacking or incorrect information) Owner: Triumph Accessory Service	ECORD (WWC-5)
The state of the s	changed to:
	26-315-1W
Fraction (1/4 1/4 1/4):	ESESESE
Other changes: Initial statements:	
Changed to:	
Comments:	
Verification method: Latitude & longitude, KGS'	"LEO" CONVERSION tool
Verification method: Latitude & longitude, KGS' well-site address and area road map, an	nd mapping tool on
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., I to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420	initials: Of Late: 8/16/20/2 Lawrence, KS 66047-3726

WATER WELL RECORD	Form WV	VC-5	Division of V	Vater Resources App. N	SB-26		
	Fraction		Section Number	er Township No.	Range Number		
County: Sumner	SE 1/4 SE 1/4	1/4 1/4	26	T 31 S	R 25 ØE W		
Street/Rural Address of Well Location;	f unknown, distance &	direction		ning System (GPS) is			
from nearest town or intersection: If at		here	Latitude: .37.3196 (in decimal degrees) Longitude: 97.3856 (in decimal degrees)				
411 N. West Road, Wellington, KS 6	37152						
*			Datum: WC	S 84, 🔲 NAD 83, 🗀] NAD 27		
2 WATER WELL OWNER: Triumph	Accessory Service		Callaction Method:				
	West Road		GPS unit (Make/Model: Google Earth				
City, State, ZIP Code : Welling	ton, KS 67152		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey Est. Accuracy: ☐ <3 m, ☑ 3-5 m, ☐ 5-15 m, ☐ >15 m				
			Est. Accuracy.		10 20 20 20 20 20 20 20 20 20 20 20 20 20		
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF	COMPLETED WELL	22.0'		. ft.			
CONTONI DOV. Double Crouns	dwater Encountered	(1)	ft. (2) ft. (3) tt.				
N WEIT'S STAT	IC WATER LEVEL.	ft.	below land surfa	ace measured on mo/o	day/yr		
Pumr	Pump test data: Well water wastt. atter nours pumping gpin						
EST. YIELD	EST. YIELDgpm. Well water was						
I I I I Bore Hole Diam	1 . I . I Dono Holo Higgsofor C.U. In TO Gray II. 2001						
WELL WATER	Feedlot []	Til field wat	er supply				
SW SE	☐ Industrial ☐ I	Domestic-lay	vn & garden	Monitoring well	.,,,		
Was a chemical	/bacteriological sample	submitted to	Department?	☐ Yes 🗹 No			
s If yes, mo	/day/yr sample was sub	mitted					
Water well disir	nfected? 🗌 Yes 📝	No					
5 TYPE OF CASING USED: Stee	el 🗹 PVC 🔲 C	ther		******			
CASING IOINTS: Glued Clar	mned Welded	Threaded					
Casing diameter 10" in to (.0"	ft Diameter	in.	to ft.	, Diameter	in. to ft.		
Casing height above land surface. Hus	n in., Weight		lbs./ft., Wall	l thickness or gauge l	√oS¢n4v		
TYPE OF SCREEN OR PERFORATION	MATERIAL:						
Steel Stainless Steel	✓ PVC☐ None used (open head)	-la)	Other (Specify).				
☐ Brass ☐ Galvanized Steel SCREEN OR PERFORATION OPENING		ore)					
Continuous slot Mill slot	Gauze wrapped	Torch cut	Drilled holes	None (open ho	ole)		
TI any ared shutter Key nunched	☐ Wire wrapped	Saw cut	Other (specif	ỳ)			
SCREEN-PERFORATED INTERVALS:	From/0'	ft. to22.0.	ft., Fro	m II	. to II.		
From							
GRAVEL PACK INTERVALS:	From	ii. io m. v.s. ft to	ft Fro	om fl	t. to ft.		
6 GROUT MATERIAL: Neat cem	ent Cement orout	7 Bento	nite Other				
Grout Intervals: From 1.0' ft. t	5.0' ft. From	l	ft. to	ft., From	ft. toft.		
What is the nearest source of possible con				•			
Septic tank Lateral li	ines Pit privy	Livestock			ther (specify below)		
Sewer lines Cesspool		Fuel storag	Fuel storage Abandoned water well Fertilizer storage Oil well/gas well Inside Machinery				
☐ Watertight sewer lines ☐ Seepage Direction from well	P			-			
FROM TO LITHOLOG		FROM			UGGING INTERVALS		
See Boring Log							
Occ Doring Log							
		 					
					And the second s		
7 CONTRACTOR'S OR LANDOWNE	IN 10 CERTAINTO A TOTA	Ni. This was	er well was Ma	onstructed Trecons	structed of Inlugged		
7 CONTRACTOR'S OR LANDOWNE	on (moldov/yaar) 4/28	/2012 a	nd this record is	true to the best of my	Anowledge and belief.		
under my jurisdiction and was completed on (mo/day/year) .4/28/2012 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No606 This Water Well Record was completed on (mo/day/year) .5/30/2012							
1 the least seemen of PSA Enviro	onmental		hy (sionatire	Salar	************************		
under the business name of _PSA Environmental							
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at							
Ly Marson lethalia any hypetomical linday html							
KSA 82a-1212	inal Returned to	Seme?	Check:	White Copy,	Blue Copy, Pink Copy		



WESTON Solutions 1400 Weston Way West Chester, PA 610-701-7400

LOG OF: <u>SB-26 / PZ-26</u> (1 of 1)

610-701-7401 05259.010.001.0009 Project Number: Drilling Company: **PSA** Environmental **IKON** Client: Driller: Trimph Accessory - KDHE Project: Boring Method: Direct Push - Geoprobe Wellington, Kansas Location: Logged By: S. roy East: North: Completion Date: April 28, 2012 Total Depth 22.0 Elev GS: Datum: WELL PID Depth REMARKS Blow Rec Sample SOIL DESCRIPTION (ppm) LOG (feet) Type/No. (%) Concrete Medium brown coarse sand SS Dark gray to black silty clay, cohesive, moderate plasticity, no odor, dry. 17.5 SS ppm 11.3 SS ppm Light beige to orange silty clay, cohesive soft, moist but not wet, no odor. 5.2 ppm SS 7.6 ppm SS 10 6.9 ppm SS 8.2 ppn SS 6.6 ppm SS 7.6 ppm SS 6/8/12 LOG A EWNN03.GPJ LOG A EWNN07 4.6 ppm SS Medium gray weathered shale with 3.8 ppm SS some agular rock fragments, moist/wet, no odor Boring terminated at 22 ft LOG A EWNN07 25