County: Samer Fraction SENESESE Sec. 26 T 3/s R EN
CORRECTION(S) TO WATER WELL COMPLETION RECORD (WWC-5)  (to rectify lacking or incorrect information)
Location was listed as: Location changed to:
Section-Township-Range: $C-12-7\omega$ $26-31-1\omega$
Fraction (1/4 1/4 1/4): NE SE SE SE SE SE SE SE SE
Other changes: Initial statements:
Changed to:
Comments:
Verification method: Lat. / Long. Leo Web
initials: \( \frac{\sqrt{S}}{2\left( \frac{26}{2615} \)
Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL REC	ORD F	orm WWC-5	Divisi	on of Water Reso	urces; App. No.	
1 LOCATION OF WATI	ER WELL: Fraction	on SE 2/ S	Se E 4	ction Number	Township Number	Range Number
County: Sumner Distance and direction from	nearest town or city	street address of w	ell if Glo	bal Positioning	System (decimal deg	rees, min. of 4 digits)
located within city? 441 N.	West Road, Wellingt	on KS	La	titude: N 37 ongitude: W 97	.32113	
2 WATER WELL OWN	ER: City of Welli	ngton		evation: RIM	1270.67; TOC: 1270	0.40
RR# St Address Box#	: 317 S. Washin	gton	Da	atum: NAV	D88	
City, State, ZIP Code	: Wellington, K	S 67152	Da	ata Collection N	Iethod: legal survey	
3 LOCATE WELL'S 4	DEPTH OF COM	PLETED WELL	19.72		ft.	
LOCATON			ľ	MW2	2 4	
WITH AN "X" IN D	epth(s) Groundwater	Encountered1		ft. 2	ft. 3	it.
SECTION BOX: W	ÆLL'S STATIC WA	ATER LEVEL 1	0.33 ft. t	below land surfa	ce measured on mo/d	lay/yr 10/1/14
N I	Pump test de	ata: Well water w	as	ft. after	hours pump	ing gpm
E	st. Yield g	om: Well water w	as	ft. after	hours pump	ing gpm
	VELL WATER TO F	BE USED AS: 5 P	ublic wate	r supply 8 A1	r conditioning 11 11	njection wen
$\begin{bmatrix} w \end{bmatrix} = \begin{bmatrix} 1 \\ 0 \end{bmatrix}$	Domestic 3 Feed 1	ot 6 Oil field wa	ter supply	9 Dew	atering 12 Oth	
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Irrigation 4 Indust	rial 7 Domestic (I	awn & ga	rden) (10)Mon	itoring well	
-swse-				D ( 10	X7 XI. X7 .	If was maldaxilyma
X W	las a chemical/bacte	riological sample s	ubmitted t	o Department?	Yes No X;	If yes, mo/day/yis
s S	ample was submitted			water w	ell Disinfected? Yes	NO A
5 TYPE OF CASING US	SED: 5 Wrous	oht Iron 8	Concrete	tile CAS	ING JOINTS: Glued	Clamped
1 Steel 3 RM	P (SR) 6 Asbes	tos-Cement 9	Other (sp	ecify below)	Welde	ed
(2) PVC 4 AB:	S 7 Fiberg	lass			Threa	ded X
Blank casing diameter	2 in. to 4.84	ft., Dia	in.	to ft.	, Diain	. to ft.
1 Steel 3 RM 2 PVC 4 AB! Blank casing diameter Casing height below land sur TYPE OF SCREEN OR PE 1 Steel 3 Stainless s	face 0.27	ft., Weight		lbs./ft. Wa	ll thickness or gauge	No.
TYPE OF SCREEN OR PE	RFORATION MAT	ERIAL:	0.470	G.	11 041 (	
1 Steel 3 Stainless s 2 Brass 4 Galvanized	teel 5 Fiberglas	s (7) PVC	9 AB	S Sastas Coment	11 Other (specify)	n hole)
CONTRACTOR DEPOSITION AND ADDRESS OF A STREET		177.				•
1 Continuous slot 2 Louvered shutter SCREEN-PERFORATED I	ON OPENINGS AN OMill slot 5	Gauze wrapped	7 Torch	cut 9 Dril	ed holes 11 None	e (open hole)
2 Louvered shutter	Key punched 6	Wire wrapped	8 Saw C	ut 10 Othe	er (specify)	
SCREEN-PERFORATED I	INTERVALS: Fro	m 4.84	ft. to	19.84 ft. F1	om ft.	toft.
	Fro	m	ft. to	ft. F1	om ft.	toft.
GRAVEL PACK IN	TERVALS: Fro	m 3	ft. to	20.15 ft. F1	ft.	to ft.
	Fro	m	ft. to	ft. Fi	om ft.	to ft.
6 GROUT MATERIAL:	1 Nest somet	Coment grout	(3 Renton	ite (4)Othe	Concrete: 0-1'	
Grout Intervals From	1 ft to 3	ft From	ft. te	o ft.	From	ft. to ft.
What is the nearest source of	of possible contamin	ation'				
1 Septic tank	4 Lateral lines 7	Pit privv 10	Livestoc	k pens 13 Ins	ecticide Storage	16 Other (specify
2 Sewer lines		Sewage lagoon (11	Fuel stor	age 14 Ab	andoned water well	below)
3 Watertight sewer line		Feedyard 12		storage 15 Oil	well/gas well	
Direction from well? NW		Η.	ow many f	feet? ~60'		
FROM TO	LITHOLOGIC		FROM	TO	PLUGGING INT	ERVALS
	brown to black cla					
	to gray clay	V				
10 20.15 Shale						
	war					
			···············			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year) 9/30/14 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor					d of (mo/day(year)	10/30/14
under the business name of I	Jarsen & Associates	s, inc.	by (signatu	Vennes Den 1	of Health and Therman	ent Rureau of Water
INSTRUCTIONS: Please fill in- Geology Section, 1000 SW Jackson, 1000 SW Ja	blanks or circle the correction St., Suite 420, Topeka,	t answers. Send top th Kansas 66612-1367. T	ree copies to elephone 78 cs.gov/water	5-296-5522. Send well.	mey WATER WELL OV	WNER and retain one for

## DENNIS L HANDKE

KGS Copy

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jessica Chapman Larsen & Associates 1311 E. 25<sup>th</sup> Street, Suite B Lawrence, Kansas, 66046

October 29, 2014

RE: Monitor Well Elevation Survey 441 N. West Road, Wellington, Kansas Proj. 14-00II Wellington Municipal Airport KDHE ID U2-096-14649

Bench Mark: Chisled X on E bolt of top flange of fire hydrant 80 feet WSW of Airport building. (from SE Cor. Sec.26-32-1W) North 1018.0 West 402.4 Elev: 1273.30

MW-1	rim	1271.44	North	1021.9	NE1/4,NE1/4,SE1/4,SE1/4
	top pipe	1271.02	West	286.5	Lat= 37.32124 Long = 97.38570
MW-2	rim	1270.67	North	980.7	SE1/4,NE1/4,SE1/4,SE1/4
	top pipe	1270.40	West	249.1	Lat= 37.32113 Long = 97.38557
MW-3	rim	1270.97	North	979.9	SE1/4,NE1/4,SE1/4,SE1/4
	top pipe	1270.77	West	316.0	Lat= 37.32113 Long = 97.38580
MW-4	rim	1271.69	North	1124.0	NW1/4,NE1/4,SE1/4,SE1/4
	top pipe	1271.34	West	331.5	Lat= 37.32152 Long = 97.38585
MW-5	rim	1271.59	North	986.7	NW1/4,NE1/4,SE1/4,SE1/4
	top pipe	1271.34	West	411.7	Lat= 37.32115 Long = 97.38485
MW-6	rim	1270.68	North	1078.6	NE1/4,NE1/4,SE1/4,SE1/4
	top pipe	1270.23	West	212.2	Lat= 37.32140 Long = 97.38544

Elevation derived from NGS BM "EGTB" 1967.

Lat & Long derived from Wellington 7.5 Quad Map

If you have any questions, please feel free to call me. Thank you for the opportunity to be