

(WAGONER #2)

ANSON SOUTH UNIT B 3502

WATER WELL RECORD

Form WWC-5

KSA 82a-1212

PLUGGING REPORT

1 LOCATION OF WATER WELL:		Fraction	2000' FWL + 350' FSL	Section Number	18	Township Number	T 31 S	Range Number	R 1 EW
County: SUMNER		Distance and direction from nearest town or city street address of well if located within city?							
2 WATER WELL OWNER: PHILLIPS PETROLEUM COMPANY		Board of Agriculture, Division of Water Resources							
RR#, St. Address, Box #: ROUTE 3 BOX 20A		Application Number:							
City, State, ZIP Code: GREAT BEND, KS 67530									
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 51 ft. ELEVATION: NOT KNOWN							
		Depth(s) Groundwater Encountered 1. 1.0 ft. 2. ft. 3. ft.							
		WELL'S STATIC WATER LEVEL 1.0 ft. below land surface measured on mo/day/yr 5/22/64							
		Pump test data: Well water was ft. after hours pumping gpm							
		Est. Yield gpm: Well water was ft. after hours pumping gpm							
		Bore Hole Diameter in. to ft. and in. to ft.							
WELL WATER USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well							
Was a chemical/bacteriological sample submitted to Department? Yes..... No.....; If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No							
5 TYPE OF BLANK CASING USED:		5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded							
Blank casing diameter 7 in. to 51 ft. Dia		Casing height above land surface 3' BELOW in, weight lbs./ft. Wall thickness or gauge No.							
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS:		From 23 ft. to 51 ft. From ft. to ft. From ft. to ft. From ft. to ft.							
GRAVEL PACK INTERVALS:		From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft.							
6 GROUT MATERIAL:		1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals: From 1.0 ft. to 3 ft. From ft. to ft. From ft. to ft.							
What is the nearest source of possible contamination:		1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) 13 Insecticide storage							
Direction from well?		How many feet?							
FROM	TO	PLUGGING LITHOLOGIC LOG		FROM	TO	LITHOLOGIC LOG			
51	10	SAND & GRAVEL (11 Ft ³) WASHED & DISINFECTED							
10	3	CEMENT GROUT (1.9 Ft ³)							
3	0	COMPACTED CLAYS							

RECEIVED

JUL 12 1990

DIVISION OF ENVIRONMENT

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/5/89 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo/day/yr) 3/28/90 under the business name of PHILLIPS PETROLEUM COMPANY by (signature) G. K. K.

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.