L. 66471611 67 1111		WELL RECORD Fo	rm WWC-5	KSA 82				
LOCATION OF WATER WELL:	Fraction	SE % SE		on Number			Range No	• ^
County: SUMVER Distance and direction from nearest				26	<u> </u>	s L	R	E(W)
Starice and direction from flearest	town or city street addr	ess of well it located w	num City?					
WATER WELL OWNER: CL	دا (طام) کم	<u> l.                                  </u>						
WATER WELL OWNER: C. h	1 of well	va tow			D 6 A-			
10#, 3t. Addiess, box # .	C 17 7 11	4 <b>5</b> .			Application		vision of Wate	r Hesource
ity, State, ZIP Code : (A	Jellington,	<u>L) 6/13/2</u>	0 1/		Application	Number:		
LOCATE WELL'S LOCATION WIT AN "X" IN SECTION BOX:	Depth(s) Groundwar	ter Encountered 1		ft.	2	ft. 3		
		ATER LEVEL 18						
NW NE	1	est data: Well water w					-	
	Est. Yield	. gpm: Well water w	vas	ft. a	after	hours pump	oing	gpm
w l	Bore Hole Diameter	in. to			and	in. t	o . <i>.</i>	
W	WELL WATER TO		Public water		8 Air conditioning		ection well	
sw   sF	Domestic				9 Dewatering			
	2 Irrigation	4 Industrial 7 I	Lawn and ga	arden only	10 Monitoring well			
	Was a chemical/bac	teriological sample sub	mitted to De	partment? Y	es(No)	; If yes, m	no/day/yr sam	ple was sub
<u> </u>	mitted			Wa	ater Well Disinfected	? <b>(</b> Yes)	No	
TYPE OF BLANK CASING USED	): 5	Wrought iron	8_Concret	e tile	CASING JOI	ITS: Glued .	Clamp	ed
1 Steel 3 RMP	(SR) 6	Asbestos-Cement	9 Other (	specify belo	w)	Welded	1	· · · · · · · · · · · · · · · ·
2 PVC 4 ABS	. 7	Fiberglass				Thread	<b>∍d</b>	
2 PVC 4 ABS lank casing diameter	in. to!. <b>O</b>	ft., Dia	<b>)</b> in. to .		ft., Dia	in.	to	ft.:
asing height above land surface								
PE OF SCREEN OR PERFORAT			7 PVC			stos-cement		
1 Steel 3 Stainl	ess steel 5	Fiberglass	8 RMF	(SR)	11 Othe	r (specify) .		
		Concrete tile	9 ABS			used (oper		
CREEN OR PERFORATION OPEN		5 Gauzed			8 Saw cut		1 None (ope	n hole)
	Mill slot	6 Wire wra	• •		9 Drilled holes	·		
	Key punched	7 Torch cu			10 Other (specify)			
CREEN-PERFORATED INTERVAL	• •	ft. to		ft Erc	` ' '			
ONLEW EN ONLYED WITCHTAL		ft. to						
GRAVEL PACK INTERVAL		ft. to						
GRAVEL FACK INTERVAL	From							
GROUT MATERIAL: 1 Ne		ft. to  Cement grout	3 Benton		om Other			
	ft. to	•						
hat is the nearest source of possit		. II., FIOIII	n. v				ndoned wate	
•		7 Dit maio.			stock pens			well
•	iteral lines	7 Pit privy		11 Fuel	-		well/Gas well	1
	ess pool	8 Sewage lagoor	1		lizer storage	AL Oth	(specify be	iow)
3 Watertight sewer lines 6 Se	epage pit	9 Feedyard			cticide storage	- NOGN d	imed. Fav	<b>EDITCIN</b>
birection from well?	LITHOLOGIC LO		EBOM 1		iny feet?	JGGING INT	EDVALO	
FROM TO	LITHOLOGIC LO	<u> </u>	FROM	TO			ND	<u> </u>
			그 김	18	Chloringt	en OH		
			1.8	<u> </u>	Subsoil	<u> </u>		
			6	5 1/2	BENTONI	12		
	<del> </del>		51/2	0	Soil			
								<del> </del>
					<del> </del>			·····
							·	
								<u> </u>
							.*	
					-			
							· · · · · · ·	
CONTRACTOR'S OR LANDOWAY	MEDIS CEDTIFICATION	l: This water well was	(1) construct	lad (2)	anetructed art(2) -1	ungedlunda	my installati	on and was
CONTRACTOR'S OR LANDOWN	10 GA	i. iriis water well was			•			
ompleted on (mo/day/year)	HI CHIEN		(	and this reco	ord is true to the bes		neage and be	mer. Kansas
ater Well Contractor's License No.		) This Water Well	Hecord was		\/ l=	1/28/	1.4	· · · <b>/</b> · · · ·
nder the business name of	KSV			by (signa		my N	· Kogu	<u>~</u>
INSTRUCTIONS: Use typewriter or ball po	oint pen. <u>PLEASE PRESS FIRM</u> ater, Topeka, Kansas 66620-00						pies to Kansas D	epartment