## WATER WELL RECORD

## DRILLERS LOG OF WELL

		Didiniero nos or welle
FROM (FT.)	(FT.)	KINO OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
#3		
0	3	soil
3	9	sanđ
9	11	clay
11	21	sand
21	23	clay
23	26	fine sand
<b>2</b> 6	41	sandy clay
81	56	gray clay
56	58	red sandy clay
58	61	silty sand
61	70	grqy clay
<b>7</b> 0	90	silty sandy caly
90	104	medium sand
104	10	9 clay
109	11	5 "
115	12	5 Medium sand
125	126	clay
	-	

"To preserve water well information and to promote the conservation, protection, and development of ground-water resources."  $\frac{1}{2} \int_{-\infty}^{\infty} \frac{1}{2} \int_{-\infty}^{\infty}$ 

Well Owner F. G. Smith (Est Ranch)
Address Pratt, Ks.
Drilling Contractor Lypan Implement Co.
Medicine Lodge, Ks
Date Drilled
Method of Drilling Rotary (Cable tool, rotary, reverse rotary, etc.)
Casing Schedule 126 4 plastic (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)
Screen Data (if any): 10 ft slotted (Length, Diameter, Slot Size, Setting)
(Length, Diameter, Slot Size, Setting)
Measured depth to water on completed well (Static Level) is  84 ft. below ground (Land Surface, Top of Casing, Etc.)
- (Zana barrate, 15p of casag, 2007)
TESTED YIELD: 5 gallons per (Min. Hour)
Tested Yield: 5 gallons per min (Min., Hour)
TESTED YIELD: 5 gallons per min (Min., Hour)  as determined by aling (Bailing, Test Pumping, Etc.)  DRAWDOWN: ft, after hrs.
TESTED YIELD: 5 gallons per min (Min., Hour) as determined by aling (Bailing, Test Pumping, Etc.)
TESTED YIELD: 5 gallons per
as determined by
TESTED YIELD: 5 gallons per

· / · ... . · ·