	TER WELL:	Fraction			ŀ	Section Nun	nber Towns	ship Number	ı Har	ige Numi	Der
ounty: Barbe		SW	14 SE	1/4	SW. 1/4	7		31 s		Q W	
	from nearest town o			of well if loc		ty?	•				
5 R 64	S ^I sabel										
WATER WELL OW		rood Do	028								
R#. St. Address, Bo		Locus					Boar	rd of Agriculture,	Division of	Water R	esource
, State, ZIP Code				. Kg.	67104		Appl	ication Number:			
	OCATION WITH 4	DEPTH OF	COMPLE	TED WELL	82	ft. EL	EVATION:				
	N IDE	pth(s) Grou	ndwater Er	ncountered		50 3	.ft. 2	π. ;	3	• • • • •	π.
		ELL'S STAT	IC WATER	LEVEL .		π. below lan	surface measur	rea on mo/day/yr	12	12-9	4
NW	NE _		-				ft. after	•			
1 !							ft. after				
w				•			.ft., and				π
		ELL WATER				vater supply		tioning 11	-		
sw	SE	1 Domest		Feedlot		water suppl	•	ng 12			
1	!	2 Irrigation		Industrial		•	nly 10 Monitorin				
128			al/bacteriol	ogical samp	ple submitted t	o Departmer	t? YesN	Contract of the Contract of th			was su
	·	tted					Water Well Disi	2 4000 - 47875		No	
TYPE OF BLANK				ught iron		ncrete tile		IG JOINTS: Glue			
1 Steel	3 RMP (SR)			estos-Ceme		her (specify	•		led		
-2 PMC	4 ABS	***	7 Fibe						aded		
ink casing diameter	r .5 5 in.	to	<i>, 41</i> 2 ft	., Dia		. to			in. to	Λ	ft
	and surface 18		in., wei	ight						Ψ	
PE OF SCREEN C	R PERFORATION M	MATERIAL:			_	PVC		0 Asbestos-cem			
1 Steel	3 Stainless ste	eel		rglass		RMP (SR)		1 Other (specify			· · · · ·
2 Brass	4 Galvanized		6 Con	crete tile		ABS		2 None used (or	pen hole)		
REEN OR PERFO	RATION OPENINGS	ARE:		5 G	auzed wrappe	d	8 Saw,cu		11 None	e (open h	iole)
1 Continuous sk	ot 3 Mill s	lot		6 W	ire wrapped		9 Drilled I	holes			
2 Louvered shut	• ,				orch cut		•	specify)			
REEN-PERFORAT	ED INTERVALS:	From		ft. to	- 0^		E	4	to		fi
			,								
				ft. to	0	ft.	From	ft.	to		ft
GRAVEL PA				ft. to	0	ft.		ft.	to		ft
GRAVEL PA				ft. to	822		From	ft. ft. ft.	to to to		ft ft ft
GROUT MATERIA	CK INTERVALS:	From . 23	2 Ceme	ft. to	822 83 B	ftft. ft. entonite	From	ft. ft. ft. ft. ft.	to to to		ft
GROUT MATERIA	CK INTERVALS:	From . 23	2 Ceme	ft. to	822 83 B	ftft. ft. entonite	From	ft. ft. ft. ft. ft.	to to to		ft
GROUT MATERIAL out Intervals: Fro	ACK INTERVALS:	From . 23 From lent to . 23 · · ·	2 Ceme	ft. to	822 83 B	ft. to	From		to to to		ft
GROUT MATERIAL out Intervals: Fro	CK INTERVALS: L: 1 Neat cem om. 3 ft.	From . 23 From ent to . 23 · · ·	2 Cerne ft.,	ft. to	0 82 0 0 82 0 0 3 B	ft. to	From		to to to 	water w	
GROUT MATERIAL out Intervals: From the is the nearest se	L: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme ft.,	ft. to	0 82 0 0 82 0 0 3 B	ft. ft. entonite	From	om	to to to ft. to	water w	
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	L: 1 Neat cem om. 3	From . 23 From lent to . 23	2 Ceme	ft. to ft. to ft. to ft. to ft. to From 7 Pit privy	0 82	ft.	From	om	totototoft. to	water w	ft ft
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevention from well?	L: 1 Neat cem om. 3	From . 23 From lent to . 23	2 Ceme	ft. to ft. to	0 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest si 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO	L: 1 Neat cem om. 3	From . 23 From lent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 9 3	L: 1 Neat cem om. 3	From . 23 From lent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 3 26 3 26 32	CK INTERVALS: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL put Intervals: From the ist the nearest section from well? 3 Watertight sevention from well? 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? 1 TO 1 TO 2 TO 2 TO 3 TO 4 TO 4 TO 5 TO 6 TO 7 TO 7 TO 7 TO 7 TO 8 TO 9 TO 9 TO 10 TO 11 TO 12 TO 13 TO 14 TO 15 TO 16 TO 17 TO 18 T	CK INTERVALS: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL put Intervals: From the is the nearest set of the second from well? Sewer lines Watertight sever the second from well? ROM TO	CK INTERVALS: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro nat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 0 3 26 32 36 36 40 40	CK INTERVALS: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 0 3 3 26 32 36 36 40 40 40 56 58	CK INTERVALS: 1 Neat cem om. 3	From . 23 From tent to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL put Intervals: From the is the nearest set of the section from well? ROM TO GROUT MATERIAL Set of the intervals: From the intervals of the int	CK INTERVALS: 1 Neat cem om. 3	From . 23 From . 23 From . 23 Indianation:	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: From the is the nearest set of the set of the intervals of th	CK INTERVALS: 1 Neat cem om. 3	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	ft ft
GROUT MATERIAL put Intervals: From the is the nearest set of the set of the intervals of th	CK INTERVALS: 1 Neat cem om. 3	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL and Intervals: From the intervals: From the intervals of th	CK INTERVALS: 1 Neat cem om. 3	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL and Intervals: From the intervals: From the intervals of th	SOIL fine sa clay fine sa	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest set in Septic tank. 2 Sewer lines 3 Watertight severtion from well? ROM TO 3 26 32 36 32 36 40 40 56 58 65 65 69	SOIL fine sa clay fine sa	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL out Intervals: Fro at is the nearest set in Septic tank. 2 Sewer lines 3 Watertight severtion from well? ROM TO 3 26 32 36 32 36 40 40 56 58 65 65 69	SOIL fine sa clay fine sa	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL put Intervals: From the is the nearest set of the second from well? Sewer lines Watertight sever the second from well? ROM TO 3 26 32 36 40 40 56 58 65 69 76	SOIL fine sa clay fine sa	From . 23 From . 23 From . 23 Interest to . 23	2 Ceme	ft. to ft. to	0 . 82	ft.	From	om	tototo	water west well city below	
GROUT MATERIAL put Intervals: From the is the nearest set of the section from well? ROM TO	CK INTERVALS: 1 Neat cem om. 3	From . 23 From sent to . 23	2 Cemeft.,	rich to ft. to f	agoon d FROM	ft.	From	om	tototo	water west well below.	ftft ftft
GROUT MATERIAL out Intervals: Fro at is the nearest set is Septic tank. 2 Sewer lines 3 Watertight sevection from well? ROM TO 3 26 32 36 40 40 56 58 65 69 76 76 82 CONTRACTOR'S	SOIL fine sa clay sand	From . 23 From .	2 Ceme ft.,	s water we	all was (1) con	ft.	From	om	tototo	water west well below.	and wa
GROUT MATERIAL out Intervals: Fro at is the nearest set is Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 3 26 32 36 32 36 32 36 36 40 40 40 56 58 65 69 76 76 82 CONTRACTOR'S inpleted on (mo/day)	SOIL fine sa clay fine sa	From . 23 From lent to . 23	2 Ceme ft.,	ft. to ft.	lagoon d FROM	structed, (2)	From	om	tototo	water west well below.	and wa
GROUT MATERIAL out Intervals: Fro nat is the nearest set 1 Septic tank 2 Sewer lines 3 Watertight sevection from well? ROM TO 0 3 3 26 32 36 36 40 40 40 56 58 58 65 69 76 82 CONTRACTOR'S npleted on (mo/day)	SOIL fine sa clay sand	From . 23 From .	2 Ceme ft.,	s water we	lagoon d FROM	structed, (2) and this	From	om	tototo	water west well below.	ftftftftft