WATER WELL RECORD	Form WWC-5	Division of Water Resources App. No.
1 LOCATION OF WATER WELL: County: Barber	Fraction  1/4 SE 1/4 SE 1/4 NW 1/4	Section Number   Township No.   Range Number   Range Number   Township No.   Range Number   Rang
Street/Rural Address of Well Location;		Global Positioning System (GPS) information:
		Latitude: .37.19.729.N
1 mile north of ML to Grandview Rd west on Grandview Rd 1 mile		Longitude: 98. 35.497 W (in decimal degrees)
		Elevation: 1596'
east into		<u>Datum</u> : ☑ WGS 84, ☐ NAD 83, ☐ NAD 27
2 WATER WELL OWNER: Chad as	nd Patrica Cargill	Collection Method:
RR#, Street Address, Box #: 8600 NE Isabel Rd		GPS unit (Make/Model: Magellan Meridian)
City, State, ZIP Code : Isabel Ks 67065		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey
		Est. Accuracy:
3 LOCATE WELL		
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 199 ft.		
SECTION BOX: Depth(s) Ground WELL'S STATE	lwater Encountered (1).4./	ft. (2) ft. (3) ft.
WEELS STATIC WATER LEVEL		
Pump test data: Well water wasft. after hours pumping gpm		
EST. YIELD. 10gpm. Well water wasft. after		
W E Bore Hole Diameter 12.1/4 in. to .199 ft., and in. to		
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well		
SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)		
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well		
Was a chemical/bacteriological sample submitted to Department? Yes V No		
S If yes, mo/day/yr sample was submitted		
1 mile  Water well disinfected? ✓ Yes □ No		
5 TYPE OF CASING USED: Steel V PVC Other		
CASING JOINTS: Glued Clamped Welded Threaded		
Casing diameter .5 in. to .199 ft., Diameter in. to ft., Diameter ft.		
Casing height above land surface18 in., Weightlbs./ft., Wall thickness or gauge Nosdr.21		
TYPE OF SCREEN OR PERFORATION MATERIAL:		
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)		
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)		
SCREEN OR PERFORATION OPENING		
Continuous slot  Mill slot  Gauze wrapped  Torch cut  Drilled holes  None (open hole)		
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)		
SCREEN-PERFORATED INTERVALS: From 199 ft. to 179 ft., From ft. to ft.		
From		
GRAVEL PACK INTERVALS: From		
From		
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other		
Grout Intervals: From .20		
What is the nearest source of possible contamination:  Septic tank  Lateral lines   Pit privy   Livestock pens   Insecticide storage   Other (specify below)		
Septic tank		
Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ▼ Oil well/gas well		
a u woot		from well .1500'
FROM TO LITHOLOG		TO LITHO. LOG (cont.) or PLUGGING INTERVALS
0 199 red shale		
o red strate		
		100 A
T CONTENT CONTENT ON Y 1 THE CON	10 CORPORTION OF THE STATE OF T	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was \( \subseteq \text{constructed}, \subseteq \text{reconstructed}, \text{or plugged} \)		
under my jurisdiction and was completed on (mo/day/year) .04/14/11		
Kansas Water Well Contractor's License No. 665 This Water Well Record was completed on (mo) day/year, 04/15/11		
under the business name of Pratt Well Service Inc. by (signature)		
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.		
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at		
http://www.kdheks.gov/waterwell/index.html.		
KSA 82a-1212 Check: White Copy, Blue Copy, Pink Copy		