LOCATION OF WATER WELL:	Fraction	CATAT	1/4 NW	, I	tion Number 25	Township N			Number
unty:	NW		74	/4	~	T /-	S	R	E/W
stance and direction from nearest	town or city stre	et address of we	II IT located V	within city?					
43 S 2 W Isabel									
WATER WELL OWNER: Fra	mk Borde	n							
R#, St. Address, Box # : 112	E washi	ngton				Board of	Agriculture, D	ivision of Wa	ater Resource
ty, State, ZIP Code : Mad	iain - Ia	doe Ke	67104				n Number:		
LOCATE WELL'S LOCATION WIT AN "X" IN SECTION BOX:	Depth(s) Gr	OF COMPLETED	WELL	152	ft. ELEVA	ΓΙΟΝ:	ft. 3.		
	WELL'S STA	ATIC WATER LE	_{vel} 3.7	, ft. b	elow land surf	ace measured o	n mo/day/yr	10-27	- 92
		Pump test data:	Well water v	was	ft. af	ter	hours pur	npina	apri
NW NE		gpm:							
x	Bore Hole D	iameter 10	in to	152	ft a	and	in.	to	ft
w	F I	ER TO BE USED		Public wate		8 Air conditionin		njection well	
_ i i	1 Dome					9 Dewatering	-	Other (Specif	
SW SE	2 Irrigat					0 Monitoring we		٠,	•
! !		ical/bacteriologica		-	•				
<u> </u>		iicai/bacteriologica	ai sample suc	Jimiled to De		er Well Disinfect		No.	imple was sui
7/25 05 51 441/ 040/40 41055	mitted	E 14/		0 Canar			2.17%		mped
TYPE OF BLANK CASING USED		5 Wrought		8 Concre			pidita		
1 Steel 3 RMP	(SH)	6 Asbestos			(specify below	•			
2 PVC 4 ABS lank casing diameter . 5	1	7 Fiberglas	ss						
	in. to 🛧	√~π., Di	a	In. to		π., Dia		n. to 210	π.
asing height above land surface.		in., weight .							
YPE OF SCREEN OR PERFORAT				7 PV			bestos-ceme		
	ess steel	5 Fiberglas			P (SR)		her (specify)		
	nized steel	6 Concrete		9 AB	S		one used (ope		
CREEN OR PERFORATION OPEN			5 Gauzed	• • •		8 Saw cut		11 None (o	pen hole)
1 Continuous slot 3	Mill slot		6 Wire wr	apped		9 Drilled holes			
2 Louvered shutter 4	Key punched		7 Torch c	4		10 Other (speci	fv)		
		122							
CREEN-PERFORATED INTERVAL	S: From	132			ft., Fror	n			
	From		ft. to ft. to	52	ft., Fror	n	ft. tc)	
	From		ft. to ft. to	52	ft., Fror	n	ft. tc)	
CREEN-PERFORATED INTERVAL	From	none	ft. to	52	ft., Fror	n	ft. tc)	
GRAVEL PACK INTERVAL	From S: From From	none 2 Cement g	ft. to	3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc)	
GRAVEL PACK INTERVAL	From S: From From	none	ft. to	3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. tc ft. tc ft. tc ft. tc ft. tc ft. tc)	
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 New rout Intervals: From3	From	nene 2 Cement g	ft. to	3 Bento	ft., Fror ft., Fror ft., Fror	n	ft. tc)	
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 New proof of the	From	2 Cement g	ft. to	3 Bento	ft., Fror ft., Fror ft., Fror nite 4	n	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	, ft. to	
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 New rout Intervals: From	From S: From From at cement ft. to	2 Cement g ft., Fr	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ft. to	
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 New rout Intervals: From	From S: From From at cementft. to20 ble contamination teral lines ess pool	2 Cement gft., Fr n: 7 Pi 8 Se	ft. to	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to	n	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ft. to pandoned wall well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: Tout Intervals: From	From S: From From at cement ft. to 20 ole contamination ateral lines ess pool eepage pit	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GROUT MATERIAL: rout Intervals: From3 /hat is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ce	From S: From From at cementft. to20 ble contamination teral lines ess pool	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. tc. ft. ft. ft. ft. ft. ft. ft. ft. ft. ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Net rout Intervals: From 3 //hat is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Se irrection from well?	From S: From From at cement ft. to 20 ole contamination ateral lines ess pool eepage pit	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GROUT MATERIAL: rout Intervals: From3 that is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Seirection from well? FROM TO 2 Seil	From S: From From at cement ft. to 20 ole contamination ateral lines ess pool eepage pit	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From 3 hat is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Sairection from well? FROM TO 2 seil 2 10 clay	From S: From From at cement ft. to 20 ole contamination ateral lines ess pool eepage pit	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	ftft ftft ftft ftft fter well
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GROUT MATERIAL: rout Intervals: From3 that is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Sa irrection from well? FROM TO 2 Seil 2 10 Glay	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	ftft ftft ftft ftft fter well
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	ftft ftft ftft ftft fter well
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	
GRAVEL PACK INTERVAL GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From	From S: From From at cementft. to20 ole contamination ateral lines ess pool eepage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	ft. to	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to ft	ft. to pandoned wa I well/Gas wher (specify	ftft ftft ftft ftft fter well
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Net rout Intervals: From 3 That is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Se irection from well? FROM TO 0 2 seil 2 10 clay 10 152 red	From S: From From at cement ft. to 20 ole contamination ateral lines espage pit LITHOLO	2 Cement g ft., Fr n: 7 Pi 8 Se 9 Fe	. ft. to	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror nite 4 fto	n	14 At 15 Oi 16 Ot	ft. to pandoned wall well/Gas wher (specify	ftftftftftft
GRAVEL PACK INTERVAL GROUT MATERIAL: 1 Near rout Intervals: From 3 That is the nearest source of possit 1 Septic tank 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Serirection from well? FROM TO 2 Seil 1 Septic tank 4 La 2 Sewer lines 5 Ce 3 Watertight sewer lines 6 Serirection from well? The series 1 Se	From S: From From at cement ft. to 20 ole contamination ateral lines espage pit LITHOLO Shale	2 Cement gft., Fr n: 7 Pi 8 Se 9 Fe	t privy ewage lagoor eedyard	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror nite 4 fto	n	ft. to	ft. to pandoned wall well/Gas wher (specify	ction and wa
GRAVEL PACK INTERVAL GROUT MATERIAL: Out Intervals: From 3 hat is the nearest source of possit 1 Septic tank 4 La 2 Sewer lines 5 Ca 3 Watertight sewer lines 6 Sa rection from well? ROM TO 2 Seil 2 10 clay 152 red CONTRACTOR'S OR LANDOWN mpleted on (mo/day/year) 1.9	From S: From From at cement ft. to 20 ole contamination ateral lines respond repage pit LITHOLO Shale	2 Cement g	t privy ewage lagoor eedyard	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror lite 4 fto	n	tt. tc. ft. tc. ft. tc. ft. tc. ft. tc. 14 At. 15 Oi 16 Ot. PLUGGING IN	ft. to pandoned wall well/Gas wher (specify) ITERVALS er my jurisdictively and several s	ction and wa
GRAVEL PACK INTERVAL GROUT MATERIAL: Tout Intervals: From	From S: From From at cement ft. to 20 ole contamination ateral lines respond repage pit LITHOLO Shale	2 Cement g	t privy ewage lagoor eedyard	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror lite 4 fto	n	tt. tc. ft. tc. ft. tc. ft. tc. ft. tc. 14 At. 15 Oi 16 Ot. PLUGGING IN	ft. to pandoned wall well/Gas wher (specify) ITERVALS er my jurisdictively and several s	ction and wa