

## WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| Lacotion of well: Charber   | Fraction NE NE NE NE 1/4 | 1/4                                     | ction number | 7 32 3   S R 14 E/W  |           |
|---|--------------------------|---|--------------|--|-----------|
| Distance and direction from nearest town or city:     Street address of well location if in city: | Lake City                | 3. Owner of R.R. or streed City, state, | et:          | Buck Stoner<br>LAKC CITY KS  |           |
| 4. Locate with "X" in section below:  N  NW NE  | Sketch map:              | +                                       | -            | 6. Bore hole dia. 35 ft. Completion date 1 20  Well depth ft Driven Dug Hollow rod Jetted Bored Reverse rotary   | 77        |
| W   | 00 25 m                  |   |              | 8. Use: X Domestic Public supply Industry Irrigation Air conditioning Stock Lawn Oil field water Other  9. Casing: Material Height: Above or below Threaded Welded Surface in. |           |
| \$ 1 Mile1  |                          |   |              | Threaded Welded Surface in.  RMP PVC Weight lbs./ft.  Dia. 4 in. to 35 ft. depth Wall Thickness: inches or   |           |
| 5. Type and color of material   |                          | F                                       | rom To       | Dia in. to ft. depth gage No  10. Screen: Manufacturer's name Peer less  |           |
|   | Clay                     |   | 0 50         | Type DVC Dia. 4  |           |
|   | fine sand                | 2                                       | 0 24         | Slot/gauze   |           |
|   | med send                 | 2                                       | 4 42         | ! - !  |           |
|   |                          |   |              | ■ 13. below land surface Date 18.1 = 20  |           |
|   |                          |   |              | 12. Pumping level below land surfaces:  ft. after hrs. pumping g.p.m.  ft. after hrs. pumping g.p.m.  Estimated maximum yield g.p.m.   |           |
|   |                          |   |              | 13. Water sample submitted: mo./day/yr. Yes XNo Date   |           |
|   |                          |   |              | 14. Well head completion:  X Pitless adapter 15 Inches above grade   |           |
|   |                          |   |              | 15. Well grouted? X Bentonite Concrete Depth: From Z ft. to 15 ft.   | -         |
|   |                          |   |              | 16. Negrest source of possible contamination:  ft. 50 Direction 1 Type Septic  Well disinfected upon completion? x Yes No  | 1         |
|   |                          |   |              | 17. Pump:  Manufacturer's name  Model number 50 w 1 Hr volt230  Length of drop pipe 20 ft. capacity 10 g.p.m.  Type:   |           |
| (Use a second s   | heet if needed)          |   |              | Submersible Turbine Reciprocating Centrifugal Other  | Sec.      |
| 18. Elevation: 19. Remarks:   |                          | •                                       |              | 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.                         | ]         |
| Topography: Hill Slope Upland   |                          |   |              | Signed William N Zy Date 2-22  | 1/4 1/4 2 |