State

WATE	R WEI	L RECORD	form '	WWC-5	Di	vision of Water	Resources App. No	<u>s. L </u>		
1 LOCATION OF WATER WELL:			Fraction	SE.	Section	on Number	Township No.	Range N		
County: Barber SE 1/2 SE 1/4 ME 1/4 1/4						6	T 31 S	R 15	□E ØW	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here										
4 Miles West of Sun City, KS						Longitude: (in decimal degrees)				
4 MI	ies we	st of Sun City, NS	/		Eleva	Elevation:				
2 WA	TED W	FII OWNED: Tame (Clarkson			Datum: WGS 84, NAD 83, NAD 27				
2 WATER WELL OWNER: Terry Calrisson RR#, Street Address, Box #: 1056 West River Road						Collection Method: GPS unit (Make/Model:)				
City, State, ZIP Code Pratt, KS 67124						☐ Digital Map/Photo, ☐ Topographic Map. ☐ Land Survey				
3 LOCATE WELL								5-15 m,]>15 m	
	ATE WE H AN "X		COMPLETED WI		ft.					
l .	SECTION BOX: Depth(s) Groundwater Encountered (1) 50 ft. (2) ft. (3) ft.									
	N WELL'S STATIC WATER LEVEL. 50 ft. below land surface measured on mo/day/yr. 5-14-14.									
	Pump test data: Well water was ft after hours pumping gpm EST_YIELD_1 gpm. Well water was ft after hours pumping gpm									
	W - NW - NE - EST HELD. The gpin. Well water was the arter in the arte									
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
Domestic Feedlot Oil field water supply Dewatering Other (Specify below)										
Irrigation Industrial Domestic-lawn & garden Monitoring well Fasture well										
Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No If yes, mo/day/yr sample was submitted										
Water well disinfected? ✓ Yes ☐ No										
5 TYPE OF CASING USED: Steel V PVC Other										
CASING JOINTS: Of Glued Clamped Welded Threaded										
Casing diameter 5 in to 110 ft., Diameter in to ft., Diameter in to ft.										
Casing height above land surface 12 in , Weight 160 lbs./ft., Wall thickness or gauge No. 160										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel PVC Other (Specify)										
Brass Galvanized Steel None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole) Louvered shutter Key punched Wire wrapped Saw cut Other (specify)										
SCREEN-PERFORATED INTERVALS: From 110 ft. to 90 ft., From ft. to ft.										
From										
GRAVEL PACK INTERVALS: From 110 ft. to 20 ft., From ft. to ft.										
From										
Grout Intervals: From 20 ft. to 0 ft., From ft. to ft., From ft. to ft.										
What is the nearest source of possible contamination:										
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock ☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage										
Sewer lines								ure Well		
Direc	tion fro	n well		Distance	from w					
FROM	TO	LITHOLOG	GIC LOG	FROM	TO	LITHO. LO	OG (cont.) <u>or</u> PLU	GGING I	NTERVALS	
81	81 105	Red Shale			· .					
105	110	Gypsum Red Shale								
<u></u>									 	
				_		ļ				
							·			
		1.2.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, \square reconstructed, or \square plugged										
under my jurisdiction and was completed on (mo/day/year) 5-14-14 and this record's true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 623. This Water Well Record was completed on (mo/day/year) 5-27-14.										
		ell Contractor's License less name of Glen Chase								
		Use typewriter or ball point pe								
	Kansas D	epartment of Health and Environ	nment, Burcau of Water,	Geology Section,	000 SW .	Jackson St., Suite	: 420, Topeka, Kansa:	s 66612-136	7.	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html										
								11	OFIAED	