WATEI	R WEL	L RECORD	Form W	WC-5	Division of Water	Resources App. No	0.	
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number	
		MANCHE	1/4 NE 1/4 NW		19	T 31 S	R 19 □E 7 W	
	Street/Rural Address of Well Location; if unknown, distance & direction					Global Positioning System (GPS) information:		
from nearest town or intersection: If at owner's address, check here .					Latitude: (in decimal degrees) Longitude: (in decimal degrees)			
					Elevation:			
2 WATED WELLOWNED					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27			
2 WATER WELL OWNER: LARRY ELLIS RR#, Street Address, Box #: 763 AVE. E					Collection Method: GPS unit (Make/Model:)			
RR#, Street Address, Box #: 763 AVE. E City, State, ZIP Code : COLDWATER, KS 67029					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
GOLDWATEN, NO 07023					Est. Accuracy:			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 157 ft.								
	TION BOX: 4 DEPTH OF COMPLETED WELL 1.5./							
one:	N WELL'S STATIC WATER LEVEL. 62ft. below land surface measured on mo/day/yr. 4/22/13							
	Pump test data: Well water was ft after hours pumping gpm							
EST. YIELD								
w	W E Bore Hole Diameter 1.0.3/0in. tott., andin. tott.							
WELL WATER TO BE USED AS: ☐ Public water supply ☐ Geothermal ☐ Injection well SW SE ☐ Domestic ☐ Feedlot ☐ Oil field water supply ☐ Dewatering ☐ Other (Specify below)								
SWSE Domestic Feedlot Domestic Bedfor								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ✓ Yes □ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .5 in. to .138 ft., Diameter in. to ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface .24 in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
☐ Continuous slot								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From								
Grout Intervals: From 0 ft. to .20 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
☐ Sewer lines ☐ Cesspool ☐ Sewage lagoon ☐ Fuel storage ☐ Abandoned water well ☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer storage ☑ Oil well/gas well								
Direction from well NORTH Distance from well .400.FT.								
FROM	ТО	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) <u>or</u> PLU	JGGING INTERVALS	
0	20	HEAVY SAND						
20	40	CLAY						
40 60	60 80	CLAY/HEAVY SAND LIGHT GRAVEL		<u> </u>				
80	120	HEAVY GRAVEL						
120	130	LIGHT GRAVEL/TRAC	E CLAY					
130	160	LIGHT GRAVEL						
160	165	RED BED						
	V							
B 6655	ED 1 ~~~	anic on the con-	MA CEDMINA	NI ON!	11		, y , m , 1	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, a reconstructed, or plugged								
under my jurisdiction and was completed on (mo/day/year) .4/22/13								
under the business name of CRESCENT SERVICES.LLC by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send one copy to								
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5524 Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at								

http://www.kdheks.gov/waterwell/index.html