

County: Comanche Fraction: NE, SW, NW, NE Sec. 24 T. 31 S R. 19 W

CORRECTION(S) to WATER WELL COMPLETION RECORD Form WWC-5 (to rectify lacking or incorrect information)

Owner: Sherman Ranch Livestock well

If location corrected, was listed as:

Location changed to:

Section-Township-Range: _____

Fraction (¼ calls): SE, NW, NE

NE, SW, NW, NE

Other changes: Initial statements: _____

Changed to: _____

Comments: _____

Verification method: WW Contractor confirmed well location. Used Google Earth & STR Finder.

Initials: PKC Date: 9/17/2021

Submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3724

Kansas Dept. of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367



Crowdis Water Well Service

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No. Well ID Original Record Correction Change in Well Use1 LOCATION OF WATER WELL: County: Comanche Fraction: SE 1/4 NW 1/4 Section Number: Township Number: T 24 S 31 Range Number: R 19 E W2 WELL OWNER: Last Name: Sherman First: Ranch Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Business: Leades Bank Address: 222 S main st City: Pratt State: KS ZIP: 67124
From Coldwater - N on 193 Hwy to Ave D, From Ave D go 1/4 South turn W into gate for 1/2 mi W3 LOCATE WELL WITH "X" IN SECTION BOX:
N
W E
S
1 mile
4 DEPTH OF COMPLETED WELL: 167 ft.
Depth(s) Groundwater Encountered: 1) ft.
2) ft. 3) ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: 80 ft.
 below land surface, measured on (mo-day-yr).....
 above land surface, measured on (mo-day-yr).....
Pump test data: Well water was 80 ft. after 2 hours pumping 110 gpm
Well water was 110 ft. after hours pumping gpm
Estimated Yield: 110 gpm
Bore Hole Diameter: 12 3/8 in. to 16 7/8 in. and in. to in.5 Latitude:(decimal degrees)
Longitude:(decimal degrees)
Horizontal Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:
6 Elevation:ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other7 WELL WATER TO BE USED AS:
1. Domestic: Household Lawn & Garden Livestock
2. Irrigation
3. Feedlot
4. Industrial
5. Public Water Supply: well ID
6. Dewatering: how many wells?
7. Aquifer Recharge: well ID
8. Monitoring: well ID
9. Environmental Remediation: well ID
 Air Sparge Soil Vapor Extraction
 Recovery Injection
10. Oil Field Water Supply: lease
11. Test Hole: well ID
 Cased Uncased Geotechnical
12. Geothermal: how many bores?
a) Closed Loop Horizontal Vertical
b) Open Loop Surface Discharge Inj. of Water
13. Other (specify):Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded
Casing diameter 5 in. to 16 1/2 ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface 30 in. Weight 160 lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel Fiberglass PVC Other (Specify)
 Brass Galvanized Steel Concrete tile None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)
SCREEN-PERFORATED INTERVALS: From 167 ft. to 127 ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From 167 ft. to 125 ft., From 90 ft. to 20 ft., From ft. to ft.9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other
Grout intervals: From 175 ft. to 80 ft., From 20 ft. to 0 ft., From ft. to ft.
Nearest source of possible contamination:
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)
Direction from well? Nothing near location Distance from well? ft.10 FROM TO LITHOLOGIC LOG FROM TO LITHO. LOG (cont.) or PLUGGING INTERVALS

0	5	Ashy top soil			
5	45	Fine brown sand			
25	80	med sand			
80	125	Brown Clay			
125	167	med sand			

Notes:11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 7-8-2021 and this record is true to the best of my knowledge and belief, Kansas Water Well Contractor's License No. 67255 This Water Well Record was completed on (mo-day-year) 7-30-21 under the business name of Crowdis Water Well Service Signature: [Signature]

Sherman Ranch

Wilmora County Rd

183

X

625 ft

© 2021 Google

1985

Imagery Date: 10/11/2017 lat 37.338952° lon -99.336174° elev 2161 ft eye alt 5041 ft

Google Earth

N