ity, State, ZIP Code DEPTH OF COMPLETED WE Vell Water to be used as: Domestic 3 Feedlot 2 Irrigation 4 Industrial Vell's static water level 85 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US	CECIANA E CECIANA E COLUMN E The second of the second o	ore Hole Diameter	8 Air conditioning 9 Dewatering 10 Observation well June	Board of Agriculture Application Number: ft., and 11 Injection we 12 Other (Special	in. to
WATER WELL OWNER: R#, St. Address, Box # ity, State, ZIP Code DEPTH OF COMPLETED WE vell Water to be used as: 1 Domestic 3 Feedlot 2 Irrigation 4 Industrial vell's static water level 35 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB lank casing dia 5 value of the control of the contr	CECI / A Coldwate LL /38ft. B 5 Public water s 6 Oil field water 7 Lawn and garft. below land Well water was Well water was	ore Hole Diameter	8 Air conditioning 9 Dewatering 10 Observation well 10 UN.E	Application Number ft., and 11 Injection we 12 Other (Special	in. to
ty, State, ZIP Code DEPTH OF COMPLETED WE dell Water to be used as: Domestic 3 Feedlot 2 Irrigation 4 Industrial dell's static water level \$5 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2PVC 4 AB lank casing dia 5	Ooldwaf E LL 13 ft. B 5 Public water s 6 Oil field water 7 Lawn and garft. below land Well water was Well water was	ore Hole Diameter	8 Air conditioning 9 Dewatering 10 Observation well 10 UN.E	Application Number ft., and 11 Injection we 12 Other (Special	in. to
ity, State, ZIP Code DEPTH OF COMPLETED WE Well Water to be used as: Domestic 3 Feedlot 2 Irrigation 4 Industrial Well's static water level \$5 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2PVC 4 AB lank casing dia 5	Ooldwaf E LL 13 ft. B 5 Public water s 6 Oil field water 7 Lawn and garft. below land Well water was Well water was	ore Hole Diameter	8 Air conditioning 9 Dewatering 10 Observation well 10 UN.E	Application Number ft., and 11 Injection we 12 Other (Special	in. to
DEPTH OF COMPLETED WE dell Water to be used as: 1 Domestic 3 Feedlot 2 Irrigation 4 Industrial dell's static water level 85 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB dank casing dia 5	5 Public water s 6 Oil field water 7 Lawn and gar ft. below land Well water was Well water was	ore Hole Diameter	8 Air conditioning 9 Dewatering 10 Observation well 10 UN.E	11 Injection we 12 Other (Spec	eil
tell Water to be used as: 1 Domestic 3 Feedlot 2 Irrigation 4 Industrial fell's static water level 85 tump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB lank casing dia 5	5 Public water s 6 Oil field water 7 Lawn and gar ft. below land Well water was Well water was	supply supply den only d surface measured on ft. after	8 Air conditioning 9 Dewatering 10 Observation well June	11 Injection we 12 Other (Spec	eil
1 Domestic 3 Feedlot 2 Irrigation 4 Industrial fell's static water level 85 ump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB asing height above land surface	6 Oil field water 7 Lawn and gar ft. below land Well water was Well water was	supply den only d surface measured on ft. after	9 Dewatering 10 Observation well	12 Other (Spec	
2 Irrigation 4 Industrial lell's static water level	7 Lawn and gar ft. below land Well water was. Well water was	den only is surface measured on	10 Observation well		CITY DOIOW)
tump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 22PVC 4 AB lank casing dia 5	ft. below land Well water was Well water was	surface measured on	.Jun.Emo		
tump Test Data st. Yield 25 gpm TYPE OF BLANK CASING US 1 Steel 3 RM 22PVC 4 AB lank casing dia 5	Well water was Well water was	ft. after		onth 1.7	. day
TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB lank casing dia	: Well water was			hours pumping	
TYPE OF BLANK CASING US 1 Steel 3 RM 2 PVC 4 AB lank casing dia		n. aner		hours pumping	gpm
1 Steel 3 RM 3 PVC 4 AB lank casing dia		5 Wrought iron	8 Concrete tile	Casing Joints: Glu	ued 🗶 Clamped
lank casing dia	MP (SR)	6 Asbestos-Cement	9 Other (specify below	v) We	elded
asing height above land surface		7 Fiberglass		Thr	elded
asing height above land surface	in to	ft., Dia	in. to	ft., Dia	in. to
• •	18	in., weight	. 23 .7ibs.	/ft. Wall thickness or gauge	e No 2/4
THE OF CONTEST OF THE OF			O PVC	10 Asbestos-cer	
1 Steel 3 Sta	ainless steel	5 Fiberglass		11 Other (specif	fy)
. •	Ivanized steel	6 Concrete tile	9 ABS	12 None used (open hole)
creen or Perforation Openings A			wrapped	Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wr		9 Drilled holes	
	4 Key punched	7 Torch c		10 Other (specify)	
creen-Perforation Dia 5.					
creen-Perforated Intervals:	rom 118	ft to 138	ft From), , , , , , , , , , , , , , , , , , ,
)
)
_	rom	ft. to	ft., From	ft. to	
I	Neat cement	2 Cement grout		Other	
					ft. to
Vhat is the nearest source of pos			10 Fuel s		Abandoned water well
	Cess pool	7 Sewage lagoo		•	Oil well/Gas well
	Seepage pit	8 Feed yard			Other (specify below)
	Pit privy	(9)Livestock pens			
pirection from well	# How	many feet /000	? Water.		No No
Vas a chemical/bacteriological sa					
as submitted					No.
Yes: Pump Manufacturer's nam	Windra	,]/	Model No	d? Yes	Volte
epth of Pump Intake			Pumps Capacity rated at		
			3 Jet 4 Centr	- ,	tting 60ther
CONTRACTOR'S OR LANDO					
T 15 41 T		11.		1901	
omplotod on a second or a					
nd this record is true to the best		0	2/	17001	A
his Water Well Record was com		JEII SERVICE		day	O year under the busines
ame of LEh/s	55014			/ TO	LITHOLOGIC LOG
LOCATE WELL'S LOCATION WITH AN "X" IN SECTION		LITHOLOGIC	PAM PHON	1 10	LITHOLOGIC LOG
BOX:	27 90	SANO			
N	61 70	White Ch	412		
; <u> </u>	9/ //8		y		
- NW NE -	119 136	GRAVEI			
	137 138	KED WA	Y		
* W 1 E					
- SW SE					
<u>t</u>					
					William Control of the Control of th
1 Mile					
LEVATION:				-	