WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

	I a			Т		T - 1: 1	B	1
1. Location of well:	County	Fraction	_		number	Township number	Range number	
	Comanche	1/4 C 1/4 NW			16	T 31 s		
2. Distance and direction from nearest town or city: 5-3/4 Mi. N. 3. Owner & 3-3/4 Mi. W. of Coldwater, Kansas R.R. or				ner of well: street: tate, zip code:		Mr. Alten Un		
Street address of well location if in city:						Wilmore, Kansas 67155		
4. Locate with "X" in section below: Sketch map:						6. Bore hole dia. 30 in. Completion date		1
N N						Well depth 253 ft. 3/7/77		
				1.74\		7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored X Reverse rotary		
E SW SE 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					±)	8. Use: Domestic Public supply Industry X Irrigation Air conditioning Stock Lawn Oil field water Other 9. Casing: Material Stee Height: Above HAW Threaded Welded X Surface 12		1
S 1 → 1 M						Dia. 16 in. to 141 ft. dep	Weight <u>) 4 - 2 J_lbs./ft.</u> th!Wall Thickness: inches or	
5. Type and color of material				From	То	Dia in. to ft. depth gage No 0 • 203		
				 		10. Screen: Monufacturer's n Irrigator & Do		
Sandy top soil				0	2	Type		
Med. to co. sand & gravel				2	35	Set between 141	ft. and 161 ft.	
				2.5	40			//
Clay				35	48	Gravel pack? <u>1CS</u> Size ra	nge of material 1/8 x 1	1
Med. to co. sand & gravel				48	78	90.0 ft. below land sur		
Clay				78	118	12. Pumping level below land	surfaces:	
Med. to co. sand & gravel				118	162	151. 3. after 4 hrs. pumping 847g.p.m. ft. after hrs. pumping g.p.m.		
						Estimated maximum yield900g.p.m.		
Sandy clay				162	184	13. Water sample submitted:		
Fine to co. sand & med. gravel				184	221	14. Well head completion:		1
Fine to co. sand w/clay				221	232	Pitless adapter 12 Inches above grade		
				222	242	15. Well grouted?	BentoniteX Concrete	_ \/
Clay				232	243	Depth: From ft. to	10 _{ff} .	1
Med. to co. sand & gravel w/some clay				243	253	16. Negrest source of possible ft. 1300 Direction	e contamination: NE_Type Farm	'
Red shale				253	258	Well disinfected upon comple	tion? Yes X No	
						17. Pump: Manufacturer's name La	Not installed yne & B orwl er	~ ~
						Model number 11 BH	HP 60 Volts	ΙY,
						Length of drop pipe 200 Type:	_ ft. capacity 7 <u>00</u> g.p.m.	\ ₹) ,
						Submersible	X Turbine	
(Use a second sheet if needed)						Jet Centrifugal	Reciprocating Other	12
18. Elevation: 19. Remarks:						20. Water well contractor's o		1, 10,
						This well was drilled under m	y jurisdiction and this report	_
Topography:						is true to the best of my know Layne Wester;		216
ніп						Business name Andit	a Kansas Kansas	-:6
Slope W Upland						Address TV NO HOLD	4-1-77	312
Valley						Signed Authorized rep	resentative Daté	121