WATE	R WELI	L RECORD	Form WWC-5		Division of	Water F	Resources; App. No. L	1661
	County: Distance and direction from nearest town or		Why SE, SU		. Section Number		Fownship Number Γ S S	Range Number R
Dista	nce and di	rection from nearest town of	or city street address of well	if G	Global Position		Systems (decimal deg	
-locate	ed within	city?	A F + 61	Z I	Latitude:	0		, ,
m.	Belle	Barne KS: /m	JEFA51 / ZMV	say	ongitude:			
WA'	TER WE	LL OWNER: But 13 1	nos File	I	Elevation:			
		ess, Box # : 205,5	Control A	I	Oatum:			
	, State, ZII	T' LUA VILA	ne, KS 67/10	I	Data Collect	tion M	ethod:	
	ATE WE	LL'S 4 DEPTH OF CO	OMPLETED WELL	5.6%.		ft.		
	ATION	2 IN Donath (a) Consum days	atan Emassumtamad (1)	1	Α (2)		£ (2)	Ω
	H AN "X' TION BO	WELL'S STATIC	ater Encountered (1)	€/ ft b	II. (<i>2)</i> . elow land cu	rface m		8240
SEC	N	Pump test	data: Well water was		ft. after	ii iacc ii	hours pumping	gpm
			gpm: Well water was					
NV	V NE		O BE USED AS: 5 Public	water su	ipply 8	Air co	nditioning 11 Inje	
/	, , , , ,	E Domestic 3	Feedlot 6 Oil field w					ner (Specify below)
		2 rrigation 4	Industrial 7 Domestic (lawn &	garden) 10	Monite	oring well	
	V SE	Was a chemical/ha	cteriological sample submit	ted to D	enartment?	Ves	\sim	If ves mo/day/yrs
	X	Sample was submit	tted	Water	well disinfec	ted? Y	es No	
	S							
TYPI	E OF CAS	ING USED: 5 Wrou	ght Iron 8 Concret	e tile	CA	SING	JOINTS: Glued	Clamped
	Steel		stos-Cement 9 Other (s					······
6	P VC	4 ABS 7 Fibers	rlass				Threaded	
lank ca	asing diam	eter in. to	ft., Diameterin., Weight	in	. to	ft., D	iameter	n, toft.
asing h	neight abov	ve land surface	in., Weight7	lb	s./ft. Wa	ll thicks	ness or guage No,	San TU
	of SCREE Steel	N OR PERFORATION MA 3 Stainless Steel 5 F	iberglass PVC	0 41	20		11 Other (Specify) .	
-	Brass		concrete tile 8 RM (SR)				12 None used (open	
		FORATION OPENINGS		1011			12 1 (one asea (open	11010)
1	Continuou	s slot 3 Mill slot	5 Gauzed wrapped 7 Tor	ch cut	9 Drilled h	noles	11 None (open he	ole)
2	Louvered	shutter 4 Key punched	6 Wire wrapped Saw om	Cut	10 Other (s	pecify)		
SCREE	N-PERFO	RATED INTERVALS: Fro	om 76 ft. to	50.	ft., Fro	m	ft. to	ft.
	GRAVEI	PACK INTERVALS: Ere	om ft. to ft. to	50	ft Fro)III .m	11. 10 ft to	IL.
	Oldiver	From Front Browness	om ft. to		ft., Fro	om	ft. to	ft.
			ement grout 3 Bento					
	tervals:			fi	i. to	ft.,	From	ft. toft.
	the neares Septic tan	t source of possible contam		Livestoo	k nanc 1	13 Incac	cticide Storage	16) ther (enecify
	Septic tail			Fuel sto			ndoned water well	below)
					•		well/gas_well	None
		11?					nFreld	
ROM	TO	LITHQLO		FROM	TO		PLUGGING INT	ERVALS
2	3	TODSOTT						
3	20	Llay.						
20	25	FA Soul	afflay					
25	48	madim to Si	nell Grave					
48	50	Grey 3 rale						
								W
CONT	[RACTO]	R'S OR LANDOWNER'S	CERTIFICATION: This	water v	vell wa	onstruc	cted, (2) reconstructo	ed, or (3) plugged
inder m	y jurisdict	ion and was completed on (mo/day/year) This	Zand t	his record is	true to	the best of my know	ledge and belief.
Cansas V	Water Wel	l Contractor's License No.	This Water W	ell Reco	ord was comp	oleted o	n (mo/day/year)	-27-07
nder th	e business	name of fremder	most Wellsen	1 JAK	(signature)	42	Minn	mello
NSTRUC	CTIONS: U	se typewriter or ball point pen. I	PL ASE PRESS FIRMLY and PRINTED IN THE PRINTED IN T	VT clearly	Please fill in	blanks, u	ite 420. Topoles, Kansas	rrect answers. Send top
aree copie 85-296-5			NOTION OF THE PROPERTY OF THE					
		/waterwell/index.html.						