CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Com an Che Location changed to:
	•
Section-Township-Range: 19-31-20 W	14-31-20W
Section-Township-Range: 15-31-20 W Fraction (1/4 1/4 1/4): NW SE SW	14-31-20W NW SE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
10 1011	
verification method: Received letter from APE	X (ampanies
	initials:

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

WATER WELL RECORD	Form WWC	-5	Division of Wate	er Resources; App. No.		
1 LOCATION OF WATER WELL:	Fraction	S		Township Numbe		
County: Comanche	NW 1/4 SE 1/4 3	5 W 1/4 CI	15		R 20 EW	
Distance and direction from nearest town located within city? From Coldwater,	KS go Pon US 183	RPPS T		7° 20.542	egrees, min. of 4 digits)	
ALL SE DAVE OF HOLD AVE	7.2 mle of N.	uta I		0990 27.63		
2 WATER WELL OWNER: Agellar RR#, St. Address, Box # : One W:	Midstream Party	ers, LP E		2012		
		-	Oatum:			
	OK 74172		Data Collection	Method: 6P5		
LOCATION	COMPLETED WELL					
WITH AN "X" IN Depth(s) Ground	water Encountered (1).	27	. ft. (2)	ft. (3)	ft.	
SECTION BOX: WELL'S STATI	C WATER LEVEL		elow land surface	measured on mo/da		
N Pump tes	st data: Well water was		ft. after	hours pumping	gpm	
	gpm: Well water was					
WELL WATER TO BE USED AS: 5 Public water supply NB NW NE E WELL WATER TO BE USED AS: 5 Public water supply 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
W E 1 Domestic 2 Irrigation 4	4 Industrial 7 Domes	tic (lawn &	garden) 10 Mor	nitoring wel .		
an an						
	bacteriological sample sub mitted	mitted to De	epartment? Yes		If yes, mo/day/yrs	
Sample was subt	mitted	water	well distillected?	res [NO]	••••	
	ought Iron & Con	crete tile	CASIN	G IOINTS: Glued	Clamped	
1 Steel 3 RMP (SR) 6 Asb	ought Iron 8 Con bestos-Cement 9 Other	er (specify be	elow)	Welded	Clamped	
2 PVC 4 ABS 7 Fibe	erglass				ed	
Blank casing diameter2 in. to	2 . 2 ft., Diameter	in.	to ft.,	Diameter	in. toft.	
Casing height above land surface		∢⇔. ≫lb	s./ft. Wall thi	ckness or guage No	364 40	
	Fiberglass 7 PVC	9 AB	S	11 Other (Specify)	
2 Brass 4 Galvanized Steal 6				12 None used (ope		
SCREEN OR PERFORATION OPENINGS						
1 Continuous slot 3 Mill slot	* *					
2 Louvered shutter 4 Key punched SCREEN-PERFORATED INTERVALS: F	From 22 ft to	3aw Cut 32	ft From	y) ft to		
l F	From ft. to		ft From	ft. to	ft.	
GRAVEL PACK INTERVALS: I	From. 20 ft. to	32	ft., From	ft. to	ft.	
F	From ft. to		ft., From	ft. to	ft.	
6 GROUT MATERIAL: 1 Neat cemen	t 2 Cement grout B	entonite 4	Other			
	toft., From	ft.	to f	t., From	ft. toft.	
What is the nearest source of possible conta		10 T :	l		16.04 6 36	
1 Septic tank 4 Lateral 1 2 Sewer lines 5 Cess poor		10 Livestoc 11 Fuel stor		secticide Storage pandoned water well	16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well						
Direction from well? South East How many feet? 450						
	OGIC LOG	FROM	ТО	PLUGGING IN	TERVALS	
0 27 Brown - Sand						
27 32 Brown - Sand	11.40.40.40					
		-				
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year)						
Kansas Water Well Contractor's License No. 4.74 This Water Well Record was completed on (mo/day/year) . 1.124.108						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top						
three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone						
	ronment, Bureau of Water, Geol	ogy Section, 10	000 SW Jackson St., S	Suite 420, Topeka, Kansa	s 66612-1367. Telephone	