

Correction

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

1 LOCATION OF WATER WELL: County: Comanche Fraction NW 1/4 SE 1/4 SW 1/4 Section Number 1514 Township Number T 31 S Range Number R 20 E

Distance and direction from nearest town or city street address of well if located within city? From Coldwater go N on US 183 app. 5 mls. to D Ave. go W on D Ave. 7.2 mls. & N into

Global Positioning Systems (decimal degrees, min. of 4 digits)
 Latitude: N 37° 20.534
 Longitude: W 099° 27.624
 Elevation: 2012
 Datum:
 Data Collection Method: GPS

2 WATER WELL OWNER: Magellan Midstream Partners, LP
 RR#, St. Address, Box #: One Williams Center / MD 30-7
 City, State, ZIP Code: Tulsa, OK 74172

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:
 N
 W E
 --NW-- --NE--
 --SW-- X SE--
 S

4 DEPTH OF COMPLETED WELL 32 ft.
 Depth(s) Groundwater Encountered (1)..... 27 ft. (2)..... ft. (3)..... ft.
 WELL'S STATIC WATER LEVEL..... ft. below land surface measured on mo/day/yr.....
 Pump test data: Well water was.....ft. after..... hours pumping..... gpm
 Est. Yield.....gpm: Well water was.....ft. after..... hours pumping..... gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr Sample was submitted..... Water well disinfected? Yes No

5 TYPE OF CASING USED: 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) CASING JOINTS: Glued..... Clamped.....
2 PVC 4 ABS 7 Fiberglass Threaded.....
 Blank casing diameter in. to ft., Diameter. in. to ft., Diameter in. to ft.
 Casing height above land surface..... 3.0 in., Weight..... 70.3 lbs./ft. Wall thickness or gauge No. 52440
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From..... 22 ft. to 32 ft. From ft. to ft.
 GRAVEL PACK INTERVALS: From..... 20 ft. to 32 ft. From ft. to ft.
 From..... ft. to ft. From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From..... 3 ft. to 20 ft. From ft. to ft. From ft. to ft.
 What is the nearest source of possible contamination:
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well
 Direction from well? South East How many feet? 450

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	27	Brown - Sandy Clay			
27	32	Brown - Sand			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11.17.108 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 676 This Water Well Record was completed on (mo/day/year) 11.24.108 under the business name of Whitetail Drilling, LLC by (signature) Andy Bass

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <http://www.kdhe.state.ks.us/geo/waterwells>.