


1 LOCATION OF WATER WELL: Fraction C 1/4 SW 1/4 NE 1/4 Section Number 2 Township Number T 31 S Range Number R 21 E
 County: Clark

Distance and direction from nearest town or city street address of well if located within city? Ashland Feeders: 2 East, North 3.5 W .25 N .5 past strodman's sign East old trailer house thru C/G thru 2nd C/G left of location

2 WATER WELL OWNER: Diversified Operating Corp. #2-7 RE Birney
 RR#, St. Address, Box # : 15000 W 6th Ave. Ste. 102 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code : Golden, CO 80401 Application Number: 20060020

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  4 DEPTH OF COMPLETED WELL 180 ft. ELEVATION: 180 ft.
 Depth(s) Groundwater Encountered 1 80 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 80 ft. below land surface measured on mo/day/yr 1-17-06
 Pump test data: Well water was 190 ft. after 1 hours pumping 35 gpm
 Est. Yield 35 gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes No X...; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC 4 ABS 7 Fiberglass Threaded
 Blank casing diameter 6 in. to 180 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface +2 in., weight 4.074 lbs./ft. Wall thickness or guage No. SDR 21.316
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-Cement
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 11 Other (Specify)
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 60 ft. to 180 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 180 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Hole plug
 Grout Intervals: From ft. to 25 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? North How many feet? 250

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Clay top			
2	19	Clay			
19	90	Sand			
90	110	Blueish sandy clay			
110	125	Black clay with sand streaks			
125	140	Red clay			
140	160	Red clay sand breaks			
160	180	Red clay/ red shale			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 1-17-06 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No KWCL 430 This Water Well Record was completed on (mo/day/yr) 1-17-06 under the business name of Howard Drilling Co. Box 806 Beaver, Ok 73932 by (signature) Phil Howard

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answer. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.