WATE	R WELL	RECORD	Form WWC-	5	Division of Water	er Resources; App. No.	1006 0363	
		F WATER WELL:	Fraction	4. /	Section Number	Township Number	Range Number	
	ty: Clar		NE/4 NW1/4 N		10	T 31 S	R 22 EW	
Distance and direction from nearest town or city street address of well if located within city? N of SItka at Jct: 9 N to Rd L, 3 W Latitude:								
on Rd 1 to Rd 24, 3N to Rd 1, .5 W to new lease road Longitude:								
2 WA	TER WEL	LOWNER: Falc	on Exploration Inc		Elevetion			
			N Market, Ste. 1252		Datum:			
City,	State, ZIP	Code : Wich	nita, Ks 67202		Data Collection	Method:		
3 LOC	ATE WEI	LL'S 4 DEPTH OF	COMPLETED WELL	80 ¹	ft.			
	ATION			20				
	VITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	WELL'S STATIC WATER LEVEL20ft. below land surface measured on mo/day/yr. 7.7.3.5							
<u> </u>	Est. Yield. 70 gpm: Well water wasft. after							
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
w	W - NW - - NE - E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)							
	2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well							
SW	SW SE XX							
	Was a chemical/bacteriological sample submitted to Department? Yes Nox; If yes, mo/day/yrs Sample was submitted							
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Gluedx Clamped								
		3 RMP (SR) 6 As	sbestos-Cement 9 Other	r (snecify	below)		Clamped	
_			berglass			Threaded		
Blank casing diameter6 in. to								
Casing height above land surface24								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
1 Steel 3 Stainless Steel 5 Fiberglass 7 VC 9 ABS 11 Other (Specify)								
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 3 Mill slot 5 Guazed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From								
From								
GRAVEL PACK INTERVALS: From								
From ft. to ft., From ft. to ft.								
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other								
Grout Intervals: From 1 ft. to 25 ft., From ft. to ft., From ft. to ft.								
What is the nearest source of possible contamination:								
	Septic tank			10 Livest			16 Other (specify	
	Sewer lines	1		11 Fuel st		bandoned water well	below)	
		sewer lines 6 Seepa	ge pit 9 Feedyard 1	12 Fertiliz	zer Storage (1500	il well/gas well		
FROM	TO TO		DLOGIC LOG	FROM		7.50 PLUGGING INT	FRVAIS	
0	3	Surface	ALOGIC LOG	TROW	10	TECCOINCE INT	ERVALS	
3	14	Sand						
14	22	Clay black				DECENT	<u> </u>	
22	35	Sand				KECEIVE	-U	
35	40	Clay black				OCT 1 @ 200		
40	56	Sand				OCT 1 6 200	U	
56	61	Sand and clay	streaks			DUDEALIOEMA	TED	
61_	80	Clay "red"				BUREAUOFWA	I EN	
7 CONT	RACTO	R'S OR LANDOWNE	R'S CERTIFICATION: T	his water	well was Theoret	ructed. (2) reconstruct	red. or (3) nlugged	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) ? 2 2 and this record is true to the best of my knowledge and belief.								
Kansas '	Water Well	l Contractor's License	No KWWCL430 This Water	Well Re	cord was complete	op (mg/day/year)/)	1-23-06	
under the business name of Howard Drilling Box 806 Beaver, Ok 5/3/952 nature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in branks, undernine or circle the correct answers. Send top								

three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdhe.state.ks.us/geo/waterwells.