				WELL RECORD	D Form W		SA 82a-				
• ()	OF WATER	R WELL:	Fraction 500 1/4	SW 1/	VE 1/4	Section N	umber	Township No	umber S	Range Nu	./ 🔨 📗
County: County		m nearest tow	n or city, street ad				<del></del>		<u> </u>		
2	3盆W.	1 1	5. Buc	121.	1/	nsa	5				
WATER V	VELL OWNE	R: 6//	es Ran								
RR#, St. Add	dress, Box #				$\mathcal{V}_{\bullet}$			Board of A	griculture, D	ivision of Wate	r Resources
ity, State, Z	IP Code	:	Duc	KIIN	/10	<u>15</u>		Application	Number:		
LOCATE V AN "X" IN	VELL'S LOC SECTION B	ATION WITH	DEPTH OF CO	OMPLETED WEL	L	) ft.	ELEVAT	ΠΟΝ:	ft. 3.		
	NW	l I	WELL'S STATIC	WATER LEVEL . test data: Well	3.5. water was	ft, below	land surf	ace measured on ter	mo/day/yr hours pun	√. O. — √. — ) nping Æ7	gpm
			Bore Hole Diamet								
• w	+ +	F [	WELL WATER TO	(		c water sup		8 Air conditioning		njection well	
-	-i	- i	Domestic	3 Feedlot		eld water su	•	•		Other (Specify b	elow)
	sw	- SE	2 Irrigation	4 Industrial				0 Observation we	اإ		
		i	Was a chemical/b	acteriological san	nple submitte	d to Departn	nent? Ye	sNo	; If yes,	mo/day/yr sam	ole was sub-
	5		mitted	_				er Well Disinfecte		X No	
TYPE OF	BLANK CAS	ING USED:		5 Wrought iron	8	Concrete tile	•	CASING JO	NTS: Glued	X Clamp	ed l
1 Steel		3 RMP (SF	₹)	6 Asbestos-Cen	nent 9	Other (speci	ify below	')	Welde	d	
₹ PVC		4 ABS	1/ 6	7 Fiberglass						ded	
			in. to								
Casing heigh	t above land	surface	/.?	in., weight		. <u>.</u>	lbs./f	t. Wall thickness	or gauge No	ODK-2	اا
		PERFORATION				<b>7 PV</b> C			estos-cemer		
1 Steel		3 Stainless	steel	5 Fiberglass		8 RMP (SF	₹)	11 Oth	er (specify)		
2 Brass	3	4 Galvanize	ed steel	6 Concrete tile		9 ABS	_	12 Nor	ne used (ope	n hole)	
CREEN OR PERFORATION OPENINGS ARE: 5 Gauzed						ped	(	8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire w						apped 9 Drilled he					
2 Louve	ered shutter	4 Ke	y punched		Torch cut	^		10 Other (specify			
SCREEN-PE	RFORATED	INTERVALS:		•				n			
			From	. , ,, ft.	to		.ft., Fron	n	ft. to		ft.
GR.	AVEL PACK	INTERVALS:	From	₹ ft.	to 🎸	. <i>Q</i>	.ft., Fron	n	ft. to		
•			From	ft.			ft., Fron				ft.
GROUT M	MATERIAL:	1 Neat c	,/	2 Cement grout		Bentonite		Other			
Grout Interva	ls: From.	4	ft. to <b>3</b>	ft., From .		. ft. to		ft., From	· • · · · · · · ·	. ft. to	
_		ce of possible	contamination:			1	0 Livest	ock pens		andoned water	well
1)Seption	c tank	4 Latera	al lines	7 Pit priv	-		1 Fuel s	•		well/Gas well	
2 Sewe	er lines	5 Cess	pool	8 Sewage	-			zer storage	16 Ot	her (specify be	low)
3 Wate	rtight sewer	lines 6 Seepa	age pit	9 Feedya	ard	1	3 Insect	icide storage			
Direction from			<u>ن د</u>				low mar	ny feet? (O	0		
FROM	TO -	<del></del>	TITHOPOGIC F	_OG	FR	OM T	0		LITHOLOGI	C LOG	
<u></u>	3	SP 5	100/								
	20	BOW.	N Y G	0-1	DIL				-		
	40 1	80 14	y WITHIZ	SRITEN.	Moch					· · · · · · · · · · · · · · · · · · ·	
	50	Red VII	1 1 11/1	Da Van	R. K						
50	$\frac{9}{2}$	<u> </u>	· /wh	BRODEN	Voen						
60	80 1	Lloy	nanoc	Y SIKER	Y-2						
<del></del>											
	<del></del>										
		4									
	<u> </u>						+				
					—— <del> </del>						
<u> </u>							L				
Z CONTRA	CTOR'S OR	LANDOWNER	R'S CERTIFICATION	ON: This water w	vellwans (t)/o						
completed or		· -		7.7.7. <b>0</b>				rd is true to the be	st of my kno	wledge and be	lief. Kansas
	Contractor's L		Maria Ti	This Wa	ter Well Rec			on (mo/day/yr)	16-2	1.58./	
nder the bu	siness name	of Cary	t pen. FLEASE PRES	S EIRMI V and PRIM	Violearly Place		y (signat		answers cal	t ton three conics	to Kanese
Department	of Health and F	writer of ball poin Environment, Bur	eau of Water Protecti	on, Topeka, Kansas	66620-7320, T	elephone: 913	3-862-936	0. Send one to WAT	ER WELL OW	NER and retain or	e for your
records.					,						1