WATER WELL RECORD Form WWC-5 Division of Water Resources; App. No.
1 LOCATION OF WATER WELL: Fraction Section Number Township Number Range Number T 31 S R 26 (W)
County: Meade SW ½ NE ½ SW ½ 06 T 31 S R 26 (W) Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)
located within city?
South & Main & Old Highway 54, Meade, KS 2 WATER WELL OWNER: Fowler Equity Exchange –Barbie Padgett Elevation:
RR# St Address Box # PO Box 305 Datum
City, State, ZIP Code : Fowler, KS 67844 Data Collection Method: 3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 16' ft.
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 16' ft.
LOCATON
WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered 1 ~9' ft. 2 ft. 3 ft. SECTION BOX: WELL'S STATIC WATER LEVEL 7.90 ft. below land surface measured on mo/day/yr 09/19/2007
SECTION BOX: WELL'S STATIC WATER LEVEL 7.90 ft. below land surface measured on mo/day/yr 09/19/2007
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm
1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
W 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs
S Sample was submitted Water Well Disinfected? Yes X
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass Threaded X
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 6 ft., Dia in. to ft., Dia in. to ft. Casing height below land surface 6.60 in., Weight lbs./ft. Wall thickness or gauge No. Sch. 40 PVC
TYPE OF SCREEN OR PERFORATION MATERIAL:
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1. Continuous slot. 3. Mill slot. 5. Guaze wranned. 7. Torch cut. 9. Drilled holes. 11. None (open hole)
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)
SCREEN-PERFORATED INTERVALS: From 6 ft. to 16 ft. From ft. to ft.
From ft. to ft. From ft. to ft.
GRAVEL PACK INTERVALS: From 4 ft. to 16 ft. From ft. to ft.
From ft. to ft. From ft. to ft.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Grout Intervals From 1 ft. to 4 ft. From ft. to ft. From ft. to ft.
Grout Intervals From 1 ft. to 4 ft. From ft. to ft. From ft. to ft.
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify)
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Lust Site
Direction from well? How many feet?
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS
0 1 Clay, silty
1 5 Clay, silty, blocky 5 9 Clay, silty
5 9 Clay, sitty
MW16
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 594 This Water Well Record was completed on (mo/day/year) and this record is true to the best of my knowledge and belief. This Water Well Record was completed on (mo/day/year) 11/09/2007
under the business name of Coranco Great Plains, Inc. by (signature)
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for