COUNTY:	OF WATER MEADE	WELL:	¦ Frac	tion 1/4 :	SE 1					: Township					
		ction from r SO. OF FOW			or city	street	address	of well if	located wi	ithin city?		~~~~			
		Box # : 3:			408			9	pard of Agi	riculture. I)ivision	of Wa	ater Re	sources	
City, St	ate, ZIP	code : Mi	INNEOLA	, KS	6786	5-		Α	pplication	Number:					
LOCATE W AN "X" I		ATION WITH BOX:								l: 0 84 ft.	2.	0 ft	. 3	. 0	ft.
\	! ; ; +	! NE -	!	1						d surface me O ft. after					gpı
!	: :					Yield	0 gpr	n: Well wat	er was	O ft. after	0	hours	pumpin	g 0	g p#
M : 1 W : 1 :		!	;	E ; Bo	re Hole	Diamet	er	8.75 in.	to 260 1	ft and	in.	to	0 ft.		
· .	# \$ #	i i	1	. WEI	LL WATE	R TO BE	USED AS:	01 DOMEST	IC .						
/ !		; 5L ; ; ; ;	*	; ; Wa: ; If	s a che yes, m	mical/b o/day/y	acteriolo r sample	ogical samp was submit	le submitte ted	ed to depart	ment? N Wate	o : r well	disin	fected?	Yes
Blank ca	sing diam	ING USED: 02 eter 5 ve land sur:	in	. to	240 ft	Dia	ı ir	i. to 0	ft., Dia L thickness	in. t		 ft. 6			
Blank ca Casing h TYPE OF	sing diam eight abo SCREEN OR		in Face V MATER	. to 12 in IAL: 0	240 ft ., 7 PVC	Dia weight	ı ir	i. to 0	ft., Dia I thickness	in. t	0 lo. 21-2	ft. 6			
Blank ca Casing h TYPE OF SCREEN O	sing diam eight abo SCREEN OR R PERFORA ERFORATED	eter 5 ve land surt PERFORATION	in face N MATER GS ARE:	. to 12 in IAL: 0 O Froi	240 ft ., 7 PVC B SAW C m 240 m 0	Dia weight UT ft. to ft. to ft. to	260 ft	n. to 0 os/ft. Wal From From From	thickness o ft. to oft. to	or gauge) O ft. O ft.		ft. 6			
Blank ca Casing h TYPE OF SCREEN O SCREEN P GR GROUT MA Grout In What is	sing diam eight abo SCREEN OR R PERFORA ERFORATED AVEL PACK TERIAL tervals: the neare	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: INTERVALS: 03 BENTONIN From 4 st source of	in face M MATER GS ARE:	. to 12 in IAL: 0 01 From From From From From From From From	240 ft	Dia weight UT ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From	0 ft. to 0 ft. to 0 ft. to 0 ft. to	or gauge h Oft. Oft. Oft.		6 t.			
Blank ca Casing h TYPE OF SCREEN O SCREEN PI GR GROUT MA Grout In What is Direction	sing diam eight abo SCREEN OR R PERFORA ERFORATED AVEL PACK TERIAL tervals: the neare n from we	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: O3 BENTONIT From 4 st source of	in face N MATER GS ARE: 	. to 12 in IAL: 0 From From From From 25	240 ft	Dia weight UT ft. to ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From From	O ft. to O ft. to O ft. to O ft. to	O ft. O ft. O ft. O ft.	0 f	t.	# many		66
Blank ca Casing h TYPE OF SCREEN O SCREEN PI GROUT MA GROUT MA Grout In What is Direction	sing diam eight abo SCREEN OR R PERFORA ERFORATED AVEL PACK TERIAL tervals: the neare n from we 70 79	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: INTERVALS: 03 BENTONIT From 4 st source of 11? SE	in face M MATER GS ARE: 	. to 12 in IAL: 0 From From From From 25	240 ft	Dia weight UT ft. to ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From	O ft. to O ft. to O ft. to O ft. to	or gauge M O ft. O ft. O ft. O ft.	0 f	t.	, many		60
Blank ca Casing h TYPE OF SCREEN O SCREEN P GROUT MA GROUT IN What is Directio FROM : 0 : 79 :	sing diam eight abo SCREEN OR R PERFORA ERFORATED AVEL PACK TERIAL tervals: the neare n from we 79 180 190	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: INTERVALS: 03 BENTONIT From 4 st source of 11? SE : TAN CLAY GREY CLAY SANDSTONE	in face M MATER SS ARE: 	. to 12 in IAL: 0 From From From From From 25	240 ft	Dia weight UT ft. to ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From From	O ft. to O ft. to O ft. to O ft. to	0 ft. 0 ft. 0 ft. 0 ft. 0 ft.	0 f	t. How	ITERVAL:	5	
Blank ca Casing h TYPE OF SCREEN O SCREEN P GR GROUT MA Grout In What is Directio FROM : 79 : 180 : 190 :	sing diam eight abo SCREEN OR R PERFORATED AVEL PACK TERIAL tervals: the neare n from we 70 79 180 190 230	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: INTERVALS: 03 BENTONIT From 4 st source of 11? SE : TAN CLAY : GREY CLAY	in face N MATER GS ARE: 	. to 12 in IAL: 0 From From From From LITHOLU	240 ft	Dia weight UT ft. to ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From From	O ft. to O ft. to O ft. to O ft. to	0 ft. 0 ft. 0 ft. 0 ft. 0 ft.	0 f	t. How	ITERVAL:	5	
Blank ca Casing h TYPE OF SCREEN O SCREEN P GROUT MA GROUT IN What is Directio FROM : 79 : 180 : 190 :	sing diam eight abo SCREEN OR R PERFORATED AVEL PACK TERIAL tervals: the neare n from we 70 79 180 190 230	eter 5 ve land sur: PERFORATION TION OPENING INTERVALS: INTERVALS: O3 BENTONIT From 4 st source of 11? SE : TAN CLAY GREY CLAY SANDSTONE TAN CLAY	in face N MATER GS ARE: 	. to 12 in IAL: 0 From From From From LITHOLU	240 ft	Dia weight UT ft. to ft. to ft. to ft. to	260 ft 140 ft.	n. to 0 os/ft. Wal From From From From From	O ft. to O ft. to O ft. to O ft. to	0 ft. 0 ft. 0 ft. 0 ft. 0 ft.	0 f	t. How	ITERVAL:	5	60

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was Constructed under my jurisdiction and was completed on (mo/day/year) 2 /19/98 and this record is true to the best of my knowledge and belief. Kansas : Water Well Contractor's License No. 224 This Water Well Record was completed on (mo/day/yr) 03/31/98 under the business name of CARL HAYSE WATER WELL SVC by (signature)