

WATER WELL RECORD Form WWC-5


Original Record Correction Change in Well Use

Division of Water Resources App. No. [] Well ID []

1 **LOCATION OF WATER WELL:**
County: [] Fraction $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ Section Number Township Number Range Number
T S R E W

2 **WELL OWNER:** Last Name: First: Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): If at owner's address, check here:
Business: Address: City: State: ZIP:

3 **LOCATE WELL WITH "X" IN SECTION BOX:**
N



4 **DEPTH OF COMPLETED WELL:** ft.
Depth(s) Groundwater Encountered: 1) ft.
2) ft. 3) ft., or 4) Dry Well
WELL'S STATIC WATER LEVEL: ft.
 below land surface, measured on (mo-day-yr).....
 above land surface, measured on (mo-day-yr).....

5 **Latitude:**(decimal degrees)
Longitude:(decimal degrees)
Datum: WGS 84 NAD 83 NAD 27
Source for Latitude/Longitude:
 GPS (unit make/model:)
(WAAS enabled? Yes No)
 Land Survey Topographic Map
 Online Mapper:

Pump test data: Well water was ft.
after hours pumping gpm
Well water was ft.
after hours pumping gpm
Estimated Yield:gpm
Bore Hole Diameter: in. to ft. and
..... in. to ft.

6 **Elevation:**ft. Ground Level TOC
Source: Land Survey GPS Topographic Map
 Other

7 **WELL WATER TO BE USED AS:**
1. Domestic: Household Lawn & Garden Livestock
2. Irrigation
3. Feedlot
4. Industrial
5. Public Water Supply: well ID

10. Oil Field Water Supply: lease

Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:
Water well disinfected? Yes No

8 **TYPE OF CASING USED:** Steel PVC Other **CASING JOINTS:** Glued Clamped Welded Threaded
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No.

TYPE OF SCREEN OR PERFORATION MATERIAL:
 Steel Stainless Steel PVC Other (Specify)
 Brass Galvanized Steel None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:
 Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)
 Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)

SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.

9 **GROUT MATERIAL:** Neat cement Cement grout Bentonite Other
Grout Intervals: From ft. to ft., From ft. to ft., From ft. to ft.

Nearest source of possible contamination: No potential source of contamination within 200 ft.
 Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage
 Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well
 Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well
 Other (Specify)

10	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (cont.) or PLUGGING INTERVALS

Notes:

11 **CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:** This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. This Water Well Record was completed on (mo-day-year) under the business name of

Form	WWC5
Contractor	Downey Drilling, Inc. #748
Well Owner	
Doc ID	1591443

Lithology

From	To	LithologicLog
0	3	TOPSOIL
3	19	BR. CLAY
19	29	YELLOWISH CLAY
29	99	GREEN CLAY
99	122	BLUE CLAY
122	141	GREEN CLAY
141	160	BLUE CLAY
160	185	LIMEROCK W/ FINE SAND, YEL/GR CLAY
185	195	F/M/C SAND W/ LIMEROCK
195	203	YELLOW/GREEN CLAY
203	211	SANDY CLAY
211	225	F/M/C SAND W/ FINE GRAVEL
225	237	SANDY CLAY
237	250	F/M/C SAND
250	264	F/M SAND W/ SANDY CLAY
264	293	F/M/C SAND
293	298	LIMEROCK W/ SANDY CLAY
298	307	CEM. SAND
307	315	F/M SAND W/ CEM SAND
315	329	FINE/MED SAND
329	357	BR. STICKY CLAY