WATER	WELL RE	CORD	Form W	WC-5	Div	vision of Water	r Resources App. No),	
1 LOCA County	TION OF WA		Fraction W 1/4 V	1/4 NE 1/4	Section	n Number	Township No. T S	Range Number R 28 □E X W	
Street/I	Rural Address o	of Well Location: i	funknown distance &	direction	Globa	L Positioning	System (GPS) in		
	Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here					Latitude: (in decimal degrees)			
51	5 Miles North 217/4 E of Meade				Longitude: (in decimal degrees)				
-						Elevation:			
2 WATER WELL OWNER: Nov 2011 Hat A						Datum: WGS 84, NAD 83, NAD 27 Collection Method:			
2 WATER WELL OWNER: Nov man Hatheld RR#, Street Address, Box #: 1/26 30 Rd City, State, ZIP Code: Fowler, KS 67844					GPS unit (Make/Model:)				
						☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 255									
	AN "X" IN	4 DEPTH OF	ft.						
SECTION	ECTION BOX: Depth(s) Groundwater Encountered (1)								
-	WELL'S STATIC WATER LEVEL. 1.4.1ft. below land surface measured on mo/day/yr								
Pump test data: Well water was								oing gpm	
1 .	EST. YIELD5								
vv									
SW -									
	Irrigation Industrial Domestic-lawn & garden Monitoring well								
Was a chemical/bacteriological sample submitted to Department? Yes No If yes mo/day/yr sample was submitted									
S If yes, mo/day/yr sample was submitted Water well disinfected? Yes No									
5 TYPE OF CASING USED: Steel Y PVC Other									
CASING JOINTS: A Glued Clamped Welded Threaded									
CASING JOINTS: A Glued Clamped Welded Threaded Casing diameter ft., Diameter in. to ft., Diameter ft.									
Casing height above land surface									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From £1.5 ft. to £5.									
From									
From									
From									
Grout Inte									
Grout Intervals: From									
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)									
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well Watertight sewer lines Seepage pit Feedyard Fertilizer storage Oil well/gas well,									
		South		. Distance			90'		
FROM	ТО	LITHOLOG		FROM	ТО		OG (cont.) <u>or</u> PLU	IGGING INTERVALS	
3	7 Top							,	
	125 Clar 220 San	d. & Crave	/						
220	229 San		!					Allowania	
229	285 Squ		/						
					·····			AAAAAAAAAAAA AAAAAAAAAAAAAAAAAAAAAAAAA	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, plugged									
under my jurisdiction and was completed on (mo/day/year)									
under the business name of Southwist Wind mill by (signature)									
INSTRUCT	TIONS: Use types	writer or ball point per	n. PLEASE PRESS FIRML	Y and <i>PRINT</i> cl	early. Ple	ase fill in blank	s and check the correc	ct answers. Send three copies	
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at									
http://www.kdheks.gov/waterwell/index.html.									