

WATER WELL REC		11 11 C-3	139330		sion of Water		W 11 ID		
		e in Well Use		1	irces App. No.	T 1: N 1	Well ID	N. 1	
1 LOCATION OF WATER WELL:		Fraction	1/. 1/.		ion Number	Township Numb		ge Number	
County:	1/4 1/4	1/4 1/4		1 4 1 1 1	T S	R	□ E □ W		
2 WELL OWNER: Last Name: First: Business:				Street or Rural Address where well is located (if unknown, distance and					
Address:	direction from nearest to will of intersection// If at a willer is address, energy interest increases.					nieck neie.			
Address:									
City:	State:	ZIP:			1				
	3 LOCATE WELL WITH 6Y, IN 4 DEPTH OF COMPLETED WELL:						(decimal degrees)		
WITH "A" IN	4 DEPTH OF COMPLETED WELL:								
SECTION BOX:	ft 3) ft or 4) \square Dry Well				Datum: WGS 84 NAD 83 NAD 27				
l	WELL'S STATIC WATER LEVEL:				ft. Source for Latitude/Longitude:			112 27	
	below land surface, measured on (mo-day-yr) above land surface, measured on (mo-day-yr)					GPS (unit make/model:)			
				• • • • • • • • • • • • • • • • • • • •	(WAAS enabled? ☐ Yes ☐ No)				
	ump test data: Well w				☐ Land Survey ☐ Topographic Map				
W E		s pumpingvater was			☐ Online Mapper:				
SW SE		s pumping							
<u> </u>	stimated Yield:		8F	6 Elevation:ft. ☐ Ground Level ☐ TOC					
	ore Hole Diameter:	in. to	ft. an						
mile		in. to	ft.		L	Other			
7 WELL WATER TO BE									
1. Domestic:		ter Supply: well II				ield Water Supply: 1			
Household		g: how many wells							
☐ Lawn & Garden ☐ Livestock		echarge: well ID g: well ID							
2. Irrigation		al Remediation: we							
			por Extraction						
4. ☐ Industrial									
Was a chemical/bacteriolo	gical sample subm	itted to KDHE?	□ Yes □	l No	If yes, date sa	imple was submitte	ed:		
Water well disinfected? □				_	,	1			
8 TYPE OF CASING US		C Other	(CASIN	G JOINTS: [Glued Clampe	d 🔲 Welded	I Threaded	
Casing diameter i									
Casing height above land surfa	nce in	. Weight				ss or gauge No			
TYPE OF SCREEN OR PE									
☐ Steel ☐ Stainless						(Specify)	• • • • • • • • • • • • • • • • • • • •		
☐ Brass ☐ Galvaniz			ne used (op	en hole)					
			Torch Cut	□ Dri	illed Holes - F	Other (Specify)			
Louvered Shutter					one (Open Hole		•••••	•••••	
SCREEN-PERFORATED	INTERVALS: From	1 ft. to	ft]	From	ft. to	ft From	ft. to	ft.	
SCREEN-PERFORATED INTERVALS: From									
9 GROUT MATERIAL: Neat cement Cement Grout Bentonite Other									
Grout Intervals: From									
Nearest source of possible contamination:									
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage									
□ Sewer Lines □ Cess Pool □ Sewage Lagoon □ Fuel Storage □ Abandoned Water Well □ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well									
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify) □ Other (Specify)									
Direction from well? ft.									
10 FROM TO	LITHOLOG		FR			THO. LOG (cont.) or		G INTERVALS	
Notes:									
Titles.									
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was _ constructed, _ reconstructed, or _ plugged									
under my jurisdiction and was completed on (mo-day-year)									
Kansas Water Well Contractor's License No									
under the business name of									
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.									

KSA 82a-1212 Visit us at http://www.kdheks.gov/waterwell/index.html

Form	WWC5	
Contractor	Hydro Resources Mid Continent, Inc.	
Well Owner	Kim Batman	
Doc ID	1139556	

Litholgy

From	То	LithologicLog
0	2	TOP SOIL
2	6	BROWN CLAY
6	20	BROWN CLAY CALICHE STREAKS
20	64	FINE TO MED SAND FEW SMALL GRAVEL
64	106	BLUE CLAY, SAND STREAKS
106	122	BROWN CLAY SAND STREAKS
122	155	MULTI COLOR CLAY, SAND STREAKS
155	177	FINE TO MED SAND SOME GRAVEL
177	200	FINE TO MED SAND VERY SMALL GRAVEL
200	220	MED SAND SMALL GRAVEL FEW COBBLE STONE
220	240	FINE TO MED SAND
240	262	BROWN CLAY SAND STREAKS
262	300	FINE TO MED SAND
300	318	FINE TO MED SAND, SANDSTONE LEDGES, SLAY STRIPS
318	355	MULTI COLOR CLAY
355	380	RED BED
5		

Form	WWC5		
Contractor	Hydro Resources Mid Continent, Inc.		
Well Owner	Kim Batman		
Doc ID	1139556		

Litholgy

From	То	LithologicLog
5		
5		