

		RECORD		WWC-5	,	7557		sion of Wate				
			e in Well Use			Resources App. No.			Well ID     Township Number   Range N			
1 LOCATION OF WATER WELL: County:Fraction1/41/41/41/4				/4 <sup>1</sup> /4					$\Box E \Box W$			
county!						reet or Rural Address where well is located (if unknown, distance and						
Business:		Last I vanie.		1 1131.								
Address:						rection from nearest town or intersection): If at owner's address, check here:						
Address:			State:	710.								
	City:     State:     ZIP:       3 LOCATE WELL     4 DEPTH OF COMPLETED WELL     6 Z J (2 L)											
	WITH "X" IN 4 DEPTH OF COMPLETED WELL: ft. 5 Latitude:											
	N BOX:	Depth(s) Gr			· ·		Longitude:				(decimal degrees)	
1	N		2) ft. 3) ft., or 4) 🗌 I WELL'S STATIC WATER LEVEL:					Datum: 🗌 WGS 84 🔲 NAD 83 🗌 NAD 27				
					neasured on (mo-day-yr)				Source for Latitude/Longitude:			
NW	NE				l on (mo-day			(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map				
		Pump test d	ata: Well v	vater was .		ft.						
w	× E	after							nline	Mapper:		
SW	SE	often										
		Estimated Y				. gpm		6 Elevation:ft.  Ground Level  TOC				nd Level 🔲 TOC
-	s								<u>e</u> : 🗌	Land Survey	GPS 🔲	Гороgraphic Map
1 r				in	. to	ft.				Other	•••••	
		D BE USED										
1. Domestic:					v: well ID					ld Water Supply: le		
☐ Housel				g: how many wells?				11. Test Hole: well ID □ Cased □ Uncased □ Geotechnical				
					)					al: how many bores		
2. 🗌 Irrigati					ation: well I					Loop Horizont		
3. 🗌 Feedlo			] Air Sparg							loop 🔲 Surface Di		
4. 🗌 Industr	rial		Recovery		Injection			13. 🗌 Ot	ther (	specify):		
		riological sar		nitted to l	KDHE?	Yes	No	If yes, date	e san	nple was submitte	d:	
		? 🗌 Yes 🔲										
										Glued Clamped		
										in. to		
		surface				10	s./It.	wall thick	cness	or gauge No		
☐ Steel		nless Steel	Fiber		□ PVC				her (S	specify)		
		vanized Steel			$\square$ None	used (ope	n hole)			(peeny)	•••••	
		RATION OPE										
	nuous Slot	🗌 Mill Slot	🗆 G	auze Wrap	ped 🗌 T	orch Cut	🗌 Dr	illed Holes		Other (Specify)		
		Key Punc						one (Open H				
										ft., From		
	GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft. to ft.											
9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other												
		le contaminati					•••••	, 1 10111				
□ Septic	Tank		Lateral Line	es [	] Pit Privy			livestock Pe		☐ Insectio	cide Storag	<u>je</u>
	Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well											
	ight Sewer Li	nes 🔲	Seepage Pit		Feedyard		ΠF	Fertilizer Sto	orage	🗌 Oil We	ll/Gas We	ıl
				• • • • • • • • • • • • • •		• • • • • •				ft.		
10 FROM	TO		ITHOLO			FRC				HO. LOG (cont.) or		NG INTERVALS
						Note	s:					
<b>11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was a constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)												
under my j	urisdiction a	nd was comp	leted on (n	no-day-ye	ar)	· · · · · · · · · · · · · · · · · · ·	and th	his record i	is tru	e to the best of m	y knowle	dge and belief.
										ted on (mo-day-ye		
under the business name of												
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at h	Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212											

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Larry Donahue
Doc ID	1147557

## Litholgy

From	То	LithologicLog
0	10	TOP SOIL BROWN CLAY
10	20	FINE SAND BROWN CLAY
20	30	SANDY CLAY FINE SAND
30	40	WHITE BROWN SANDY CLAY FINE SAND
40	50	WHITE CLAY FINE SANDD
50	60	FINE SAND BROWN CLAY CALICHE
60	70	WHITE CLAY FINE SAND
70	80	SANDY CLAY WHITE BROWN FINE SAND
80	90	MED SAND
90	110	MED SAND LIGHT BROWN CLAY ROCK
110	120	MED TO COARSE SAND LIGHT GRAVEL
120	130	MED SAND CLAY STREAKS
130	140	MED SAND HARD ROCK GRAVEL
140	190	MED TO COARSE SAND
190	200	GREY RED SANDY CLAY MED SAND
200	250	FINE TO MED SAND
250	260	MED SAND SANDY CLAY BROWN ROCK
260	280	MED SAND
280	300	MED SAND CLAY STREAKS

Form	WWC5
Contractor	Hydro Resources Mid Continent, Inc.
Well Owner	Larry Donahue
Doc ID	1147557

## Litholgy

From	То	LithologicLog
300	340	MED TO FINE SAND
340	360	BROWN GREY SANDY CLAY FINE SAND
360	460	FINE TO MED SAND CLAY STREAKS
460	470	FINE SAND GREY SHALE
470	480	GREY SHALE