		WATER W	ELL RE	CORD	Form	WW	C-5 K	SA 82a-12 ⁻	12		
1 LOCATION OF WATE	R WELL:	FRACTION				SECTION	ON NUMBER	1	NUMBER	i	NUMBER
Sumner		SE 1/4		1/4 NV	V 1/4		8	T 3	<u>1 s </u>	R 3	W E/W
Distance and direction from nearest town or city street address of well if located within city? 2 miles W. of Conway Springs, KS. & 1 1/3 mile So. of Parrell Rd., 1/4 East Conway Springs, KS.											
2 WATER WELL		S, Ronald	1/5 IIIIC	50. 01 1 41	1 CH IXC	**•	Last	Conva	y oprings, i	X O•	
 1	RR#,ST. ADDRESS,BOX #: 730 N. Milan								Board of Agri	culture, Division o	f Water Resource
CITY,	STATE: Conw	ay Springs,	Kansas			ZIP	CODE:		Application Nun	nber:	
3 LOCATE WELL'S LOWITH AN "X" IN SEC	ocation 4 D	EPTH OF COM	PLETED W	ELL:	110	ft.		ELEVATION:			
WITH AN X IN SEC		h of groundwat	er Encounte	red:		ft.			ft.		ft.
	WEI	L'S STATIC W	ATER LEVE	EL 12	FT. I	BELOV	V LAND SL	IRFACE MEASU	JRED ON mo/o	day/yr: 10	/5/10
	NE ···		ump test dat		water was			ft. after		of pumping @	gpm
M Mile	E Bo	Est. Yield: e Hole Diamete	gpm er 12		water was	s to 11	0 ft.	ft. after and	nours in.	of pumping @ to	gpm ft.
= "	, ,	L WATER TO		S:					0 Dowatori	44.1	jection well
WELL WATER TO BE USED AS: 1. Domestic 3. Feedlot 5. Public water supply 7. Lawn and garden only 9. Dewatering 11. Injection well 12. Other (Specify below 12. Other (Specify below 12. Other (Specify below 13. Other (Specify below 14. Injection well 14. Injection well 15. Other (Specify below 15.											
2. Irrigation 4. Industrial 6. Oil field water supply 8. Air conditioning 10. Monitoring well											
S		s a chemical/bact nitted	eriological sar	mple submitted	to Departm	nent?	YES Was V	NO Vater Well Disin		YES	NO
5 TYPE OF CAS	SING USED:	5. Wrough	of Iron	7. Fibergla	188	9. Oth	er (Specify	below) CAS	SING JOINTS: (Glued	Threaded
1. Steel	3. RPM (SR)	_		-		SDR		,		Welded	Clamped
2. PVC	> 4. ABS		os-Cement	8. Concret							
Blank casing diameter		n. to	40 ft.,			in.	to	ft.,		in. to	ft.
Casing height above		12 in.,		Weight:	2.35	lbs	s. / ft.	Wall th	nickness or gau	ge No21	4
TYPE OF SCREEN OR PERFORATION MATERIAL: 1, Steel 3. Stainless Steel 5. Fiberglass 7. PVC 9. ABS 11. Other (specify)											
2. Brass 4. Galvanized 6. Concrete Tile 8. RMP (SR) 10. Asbestos-Cement 12. None used (open hole)											
SCREEN OR PERFO	DRATION OPENING	S ARE:									
1. Continuous slo	t 3. Mill slo	t 5.	Gauzed w	rapped		7. Tore	ch cut	9. Dril	led holes	11. None	(open hole)
2. Louvered shutte	er 4. Key pu	nched 6	Wire wrap	ped		8. Saw	cut	10. Oth	er (specify)		
SCREEN - PERFORA	ATION INTERVAL	From	40	ft.	to 1	10	ft.,	From	ft.	to	ft.
		From		ft.	to		ft.,	From	ft.	to	ft.
GRAVEL PA	CK INTERVALS:	From	24	ft.	to 1	10	ft.,	From	ft.	to	ft.
		From		ft.	to		ft.,	From	ft,	to	ft.
6 GROUT MATER	IALS: 1. Neat c	ement	2. Cem	ent Grout		3.	Bentonite			tonite hole 1	
Grout Intervals:	From 4	ft. to		ft., Fror	n	ft.	to	ft.,	From		to ft.
What is the nearest s			7. Pit privy		10. Liv	estock	pens	13 Insect	icide storage	15. Oil we	II/Gas well
1. Septic tank	4. Lateral 5. Cess Po		8. Sewage		11. Fu	el stora	age		don water well		(specify below)
2. Sewer lines		,,,,	9. Feed yar	_			storage	1-1. 710411	Jon Water Well		
3. Watertight sewe	Northwest	e pit		~				How many feet? 100 ft. plus			
From To	<u> </u>	ITHOLOG	IC LOG		Fr	om	То			OGIĈ LOG	
0 3	topsoil						·				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	clay fine sand				_						
8 80	red shale				_						
80 95	gray shale										
95 110	red shale										
							***************************************			······································	
											· · · · · · · · · · · · · · · · · · ·

		dan to the same of the same									
Contractor's or	Landowner's Certific			1. construc	ted 2	2. red	onstructe	d or 3.	plugged	under my juris	diction and
was completed on	(mo/day/year)	10/5/201	0	and this reco	ord is true	to the	best of my	knowledge and	belief.		
Kansas Water We	Il Contractor's Licens	e No. 236		This wate	r well rec	ord was	s complete	d on (mo/day/ye	ar) 10/8	8/2010	
under the business	s name of Harp V	Well and Pu	ımp Serv	rice		by (sig	ınature)	Τ	odds	Har	'n